

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Chemetall
expect more⁺

ARDROX 3968 (5 GLA)

Version	Revision Date:	SDS Number:	Date of last issue:
2.0	12/18/2025	000000000050839322	03/02/2025
			Date of first issue:
			03/02/2025

SECTION 1. IDENTIFICATION

Product name : ARDROX 3968 (5 GLA)

Product code : 000000000050839322

Manufacturer or supplier's details

Company:

Chemetall U.S., Inc.
675 Central Avenue
New Providence, NJ 07974 – USA
+1 800 526-4473
sds.na-chemetall@basf.com

Emergency telephone : CHEMTREC: 800-424-9300, +1-703-527-3887

Recommended use of the chemical and restrictions on use

Recommended use : Corrosion inhibitor

Restrictions on use : Uses other than recommended

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids : Category 4

Aspiration hazard : Category 1

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Chemetall
expect more⁺

ARDROX 3968 (5 GLA)

Version	Revision Date:	SDS Number:	Date of last issue:
2.0	12/18/2025	0000000000508 39322	03/02/2025
			Date of first issue: 03/02/2025

GHS label elements

Hazard pictograms :



Signal Word : Danger

Hazard Statements : H227 Combustible liquid.
H304 May be fatal if swallowed and enters airways.

Precautionary Statements :

Prevention:
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P280 Wear protective gloves, protective clothing, eye protection and face protection.

Response:
P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER.
P331 Do NOT induce vomiting.
P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

Storage:
P403 Store in a well-ventilated place.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



ARDROX 3968 (5 GLA)

Version	Revision Date:	SDS Number:	Date of last issue: 03/02/2025
2.0	12/18/2025	0000000000508 39322	Date of first issue: 03/02/2025

P405 Store locked up.

Disposal:

P501 Dispose of contents and container to an approved waste disposal plant.

Other hazards

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature : organic compounds
inorganic compounds
organic solvent

Components

Chemical name	CAS-No.	Concentration (% w/w)	Synonyms
Hydrocarbons, C10 - C13, n-alkanes, isoalkanes, cyclics, < 2	64742-48-9	>= 60 - < 80	Naphtha (petroleum), hydrotreated heavy
Distillates (petroleum), hydrotreated light naphthenic	64742-53-6	>= 10 - < 30	Distillates (petroleum), hydrotreated light naphthenic
1-butoxypropan-2-ol	5131-66-8	>= 1 - < 5	1-butoxypropan-2-ol

Actual concentration or concentration range is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice : Symptoms of poisoning may occur even after

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



ARDROX 3968 (5 GLA)

Version	Revision Date:	SDS Number:	Date of last issue:
2.0	12/18/2025	0000000000508 39322	03/02/2025
			Date of first issue: 03/02/2025

several hours, continue medical observation for at least 48 hours after the accident.
Keep patient warm and at rest.
In case of intoxication, call a poison control center or physician for treatment advice, taking the packaging or the label of the product.
Never give anything by mouth to an unconscious person.
Move out of dangerous area.
Immediately remove contaminated clothing.
First aid personnel should pay attention to their own safety.

If inhaled : If breathed in, move person into fresh air.

If breathing is irregular or stopped, administer artificial respiration.

Call a physician or poison control center immediately.

In case of skin contact : Do NOT use solvents or thinners.

Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.

If symptoms persist, call a physician.

In case of eye contact : In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

If symptoms persist, call a physician.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



ARDROX 3968 (5 GLA)

Version	Revision Date:	SDS Number:	Date of last issue:
2.0	12/18/2025	0000000000508 39322	03/02/2025
			Date of first issue: 03/02/2025

If swallowed	: Never induce vomiting or give anything by mouth if the victim is unconscious or having convulsions. Rinse mouth with water. Do not induce vomiting due to aspiration hazard. Keep at rest. If swallowed, call a poison control center or doctor immediately.
Most important symptoms and effects, both acute and delayed	: May be fatal if swallowed and enters airways. Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11. When inhaled (e.g. during vomiting) risk of pulmonary oedema and/or pneumonia. Risk of product entering the lungs on vomiting after ingestion.
Notes to physician	: Treat symptomatically. No known specific antidote.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	: Dry powder
------------------------------	--------------

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



ARDROX 3968 (5 GLA)

Version	Revision Date:	SDS Number:	Date of last issue: 03/02/2025
2.0	12/18/2025	0000000000508 39322	Date of first issue: 03/02/2025

Carbon dioxide (CO₂)

Water spray

Foam

Unsuitable extinguishing : High volume water jet media

Specific hazards during fire fighting : Fire will produce dense black smoke containing hazardous combustion products (see section 10).

Hazardous combustion products : Vapors and/or decomposition products are irritant and/or toxic.

Further information : Do not flood burning material with water due to potential spreading of fire.

Notify proper authorities.

Remove product from areas of fire, or otherwise cool sealed containers with water in order to avoid pressure build up due to heat.

Vapours are heavier than air and may accumulate

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Chemetall
expect more⁺

ARDROX 3968 (5 GLA)

Version	Revision Date:	SDS Number:	Date of last issue:
2.0	12/18/2025	0000000000508 39322	03/02/2025
			Date of first issue: 03/02/2025

in low areas and travel a considerable distance up to the source of ignition.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Cool containers/tanks with water spray.

Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Avoid breathing vapours.

For non-emergency personnel:

Use personal protective equipment.

Ensure adequate ventilation, especially in confined areas.

Keep away from sources of ignition.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



ARDROX 3968 (5 GLA)

Version	Revision Date:	SDS Number:	Date of last issue:
2.0	12/18/2025	0000000000508 39322	03/02/2025
			Date of first issue: 03/02/2025

For emergency responders:

Advice on product handling can be found in sections 7 and 8 of this safety data sheet.

Avoid contact with skin and eyes.

Environmental precautions : If the product contaminates rivers and lakes or drains inform respective authorities.

Avoid subsoil penetration.

Do not allow uncontrolled discharge of product into the environment.

A spill of or in excess of the reportable quantity requires notification to state, local and national emergency authorities.

Methods and materials for containment and cleaning up : Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13).

Ensure adequate ventilation.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



ARDROX 3968 (5 GLA)

Version	Revision Date:	SDS Number:	Date of last issue:
2.0	12/18/2025	0000000000508 39322	03/02/2025
			Date of first issue: 03/02/2025

SECTION 7. HANDLING AND STORAGE

Advice on protection : Avoid all sources of ignition: heat, sparks, open flame.
against fire and explosion

Product may charge electrostatically: always use earthing leads when transferring from one container to another and earth containers. It is recommended that operators should wear antistatic clothing and footwear.

Solvent vapors are heavier than air and spread along floors. Vapor forms explosive mixtures with air.

Sealed containers should be protected against heat as this results in pressure build-up.

The relevant fire protection measures should be noted.

Use explosion-proof equipment.

Advice on safe handling : Use static lines when mixing and transferring material.

Proper ventilation and respiratory protection is required when sanding, flame cutting, welding or brazing coated surfaces.

WARNING: Empty containers may still contain hazardous

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



ARDROX 3968 (5 GLA)

Version	Revision Date:	SDS Number:	Date of last issue:
2.0	12/18/2025	0000000000508 39322	03/02/2025
			Date of first issue: 03/02/2025

residue.

Do not puncture, drop, or slide containers.

Do not breathe vapors or spray mist.

Provide good ventilation of working area (local exhaust ventilation if necessary).

Do not return residues to the storage containers.

Smoking, eating and drinking are forbidden in application area. For personal protection see section 8. Comply with the health and safety at work laws.

The workplace should be equipped with an emergency shower and eye-rinsing facility.

Avoid contact with the skin, eyes and clothing.

Handle in accordance with good industrial hygiene and safety practice.

Further information on storage conditions : Store protected against freezing.

Avoid direct sunlight.

Close containers carefully once opened and store them upright in order to prevent any leakage. No smoking. No admission for unauthorised personnel.

Always keep in containers of same material as the original one.

Observe label precautions.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



ARDROX 3968 (5 GLA)

Version	Revision Date:	SDS Number:	Date of last issue:
2.0	12/18/2025	0000000000508 39322	03/02/2025
			Date of first issue: 03/02/2025

Keep in a dry, cool and well-ventilated place.

Materials to avoid : Keep away from oxidizing agents, strongly alkaline and strongly acid materials in order to avoid exothermic reactions.

Recommended storage temperature : < 104 °F / < 40 °C

Further information on storage stability : Consult local fire marshal for storage requirements.

Packaging material : Suitable material: High density polyethylene (HDPE), Low density polyethylene (LDPE), Polyethyleneterephthalate (PET), Polypropylene, Paper/Fibreboard, Carbon steel (Iron), tinned carbon steel (Tinplate)

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Hydrocarbons, C10 - C13, n-alkanes, isoalkanes, cyclics, < 2	64742-48-9	TWA	500 ppm 2,000 mg/m3	OSHA Z-1

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



We create chemistry

Chemetall
expect more⁺

ARDROX 3968 (5 GLA)

Version 2.0 Revision Date: 12/18/2025 SDS Number: 000000000050839322 Date of last issue: 03/02/2025
Date of first issue: 03/02/2025

		TWA	400 ppm 1,600 mg/m3	OSHA P0
Distillates (petroleum), hydrotreated light naphthenic	64742-53-6	TWA (Mist)	5 mg/m3	OSHA Z-1
		TWA (Inhalable particulate matter)	5 mg/m3	ACGIH
		TWA (Mist)	5 mg/m3	OSHA P0
		TWA (Mist)	5 mg/m3	NIOSH REL
		ST (Mist)	10 mg/m3	NIOSH REL

Engineering measures : Ensure adequate ventilation.

General mechanical ventilation should comply with OSHA 1910.94.

Personal protective equipment

Respiratory protection : When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

Filter type : Organic vapor Type

Hand protection

Remarks : The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it. nitrile rubber (NBR) - 0.4 mm coating thickness Performance level 6, corresponding to a breakthrough time of >480 min according to EN ISO 374-1

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



ARDROX 3968 (5 GLA)

Version	Revision Date:	SDS Number:	Date of last issue:
2.0	12/18/2025	0000000000508 39322	03/02/2025
			Date of first issue: 03/02/2025

	The protection glove should be tested for its specific suitability (e.g. mechanical strength, product compatibility, anti-static properties). Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough. Preventive skin protection
Eye protection	: Tightly fitting safety goggles (splash goggles) (e.g. EN 166)
Skin and body protection	: Chemical resistant protective clothing according to DIN EN 13034 (Type 6)
Protective measures	: Do not breathe vapour/spray. Eye wash fountains and safety showers must be easily accessible. Avoid contact with the skin, eyes and clothing. Handle in accordance with good industrial hygiene and safety practice.
Hygiene measures	: Contact lenses should not be worn. Remove contaminated clothing immediately and dispose of safely. Wash hands before breaks and at the end of workday. Keep away from food, drink and animal feedingstuffs.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	: liquid
Color	: colorless
Odor	: No data available

SAFETY DATA SHEET

according to the OSHA Hazard Communication
Standard



Chemetall
expect more⁺

ARDROX 3968 (5 GLA)

Version	Revision Date:	SDS Number:	Date of last issue: 03/02/2025
2.0	12/18/2025	0000000000508 39322	Date of first issue: 03/02/2025

Odor Threshold	:	No data available
pH	:	substance/mixture is non-polar/aprotic
Melting point/freezing point	:	not determined
Boiling point/boiling range	:	> 302 °F / > 150 °C Method: calculated
Flash point	:	> 147 °F / 64 °C Method: ISO 3679
Evaporation rate	:	No data available
Flammability (solid, gas)	:	No data available
Flammability	:	Does not sustain combustion.
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	> 35 g/m ³
Vapor pressure	:	not determined (68 °F / 20 °C)

SAFETY DATA SHEET

according to the OSHA Hazard Communication
Standard



Chemetall
expect more⁺

ARDROX 3968 (5 GLA)

Version	Revision Date:	SDS Number:	Date of last issue:
2.0	12/18/2025	0000000000508 39322	03/02/2025
			Date of first issue: 03/02/2025

not determined (122 °F / 50 °C)

Relative vapor density : No data available

Relative density : No data available

Density : 0.810 g/cm³ (68 °F / 20 °C)

Solubility(ies)
Water solubility : not determined

Solubility in other solvents : No data available

Partition coefficient: n-
octanol/water : not applicable for mixtures

Autoignition temperature : > 392.00 °F / > 200.00 °C

Decomposition temperature : No decomposition if stored and handled as
prescribed/indicated.

Viscosity
Viscosity, dynamic :
No data available

Viscosity, kinematic : 7.0 mm²/s (104 °F / 40 °C)
6.0 mm²/s (73 °F / 23 °C)
Flow time : < 30 s (73 °F / 23 °C)
Cross section: 3 mm
Method: ISO 2431

Explosive properties : Not explosive

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



ARDROX 3968 (5 GLA)

Version	Revision Date:	SDS Number:	Date of last issue:
2.0	12/18/2025	0000000000508 39322	03/02/2025
			Date of first issue: 03/02/2025

Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Self-heating substances	:	The substance or mixture is not classified as self heating.
Heat of combustion	:	No data available
Metal corrosion rate	:	Not corrosive to metals.
Particle characteristics	:	
Particle size	:	The substance / product is marketed or used in a non solid or granular form.
Particle Size Distribution	:	No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No dangerous reaction known under conditions of normal use.
Chemical stability	:	No decomposition if stored and applied as directed.
Possibility of hazardous reactions	:	Vapours may form ignitable mixture with air.
Conditions to avoid	:	Electrostatic discharge Protect from frost. Heat, flames and sparks. Avoid direct sunlight.
Incompatible materials	:	Keep away from oxidizing agents, strongly alkaline and strongly acid materials in order to avoid exothermic reactions.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



ARDROX 3968 (5 GLA)

Version	Revision Date:	SDS Number:	Date of last issue:
2.0	12/18/2025	0000000000508 39322	03/02/2025
			Date of first issue: 03/02/2025

Hazardous decomposition : No decomposition if stored and applied as directed.
products

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Based on available data, the classification criteria are not met.

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Respiratory or skin sensitization

Skin sensitization

Based on available data, the classification criteria are not met.

Respiratory sensitization

Based on available data, the classification criteria are not met.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Carcinogenicity

Based on available data, the classification criteria are not met.

IARC No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



ARDROX 3968 (5 GLA)

Version	Revision Date:	SDS Number:	Date of last issue:
2.0	12/18/2025	0000000000508 39322	03/02/2025
			Date of first issue: 03/02/2025

0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration toxicity

May be fatal if swallowed and enters airways.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

No data available

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Observe national and local legal requirements.

Do not discharge into drains/surface waters/groundwater.

Incinerate or dispose of in a RCRA-licensed facility.

It is the waste generator's responsibility to determine if a particular waste is hazardous under RCRA.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



ARDROX 3968 (5 GLA)

Version	Revision Date:	SDS Number:	Date of last issue:
2.0	12/18/2025	0000000000508 39322	03/02/2025
			Date of first issue: 03/02/2025

Contaminated packaging : WARNING: Empty containers may still contain hazardous residue.

Dispose of in accordance with national, state and local regulations.

Packaging that is not properly emptied must be disposed of as the unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR

Not regulated as a dangerous good

Special precautions for user

Remarks : Not classified as dangerous in the meaning of transport regulations.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



ARDROX 3968 (5 GLA)

Version	Revision Date:	SDS Number:	Date of last issue:
2.0	12/18/2025	0000000000508 39322	03/02/2025
			Date of first issue: 03/02/2025

SECTION 15. REGULATORY INFORMATION

SARA 311/312 Hazards : Flammable (gases, aerosols, liquids, or solids)
Aspiration hazard

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

US State Regulations

Pennsylvania Right To Know

Hydrocarbons, C10 - C13, n-alkanes, isoalkanes, cyclics, < 2	64742-48-9
Distillates (petroleum), hydrotreated light naphthenic	64742-53-6
hydrotreated heavy naphthenic distillates, < 3% DMSO	64742-52-5
barium sulfonate	61790-48-5

The ingredients of this product are reported in the following inventories:

TSCA : All substances listed as active on the TSCA inventory

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard




ARDROX 3968 (5 GLA)

Version 2.0 Revision Date: 12/18/2025 SDS Number: 000000000050839322 Date of last issue: 03/02/2025
Date of first issue: 03/02/2025

SECTION 16. OTHER INFORMATION

Further information

NFPA 704:



HMIS® IV:

HEALTH	/	2
FLAMMABILITY		1
PHYSICAL HAZARD		1

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardization; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



ARDROX 3968 (5 GLA)

Version	Revision Date:	SDS Number:	Date of last issue: 03/02/2025
2.0	12/18/2025	0000000000508 39322	Date of first issue: 03/02/2025

Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organization for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorization and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

For multi-pack systems observe material safety data sheets of all components.
Restricted to professional users.

Revision Date : 12/18/2025

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific

SAFETY DATA SHEET

according to the OSHA Hazard Communication
Standard



Chemetall
expect more ⁺

ARDROX 3968 (5 GLA)

Version	Revision Date:	SDS Number:	Date of last issue:
2.0	12/18/2025	0000000000508 39322	03/02/2025
			Date of first issue: 03/02/2025

material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN

