

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Adrox 8901W,Aerosol NA (12x16oz)

Version	Revision Date:	SDS Number:	Date of last issue: 10/28/2025
3.0	12/18/2025	0000000000505 59109	Date of first issue: 03/02/2025

---

### SECTION 1. IDENTIFICATION

Product name : Adrox 8901W,Aerosol NA (12x16oz)  
Product code : 000000000050559109

#### Manufacturer or supplier's details

**Company:**  
Chemetall U.S., Inc.  
675 Central Avenue  
New Providence, NJ 07974 – USA  
+1 800 526-4473  
sds.na-chemetall@basf.com

Emergency telephone : CHEMTREC: 800-424-9300, +1-703-527-3887

#### Recommended use of the chemical and restrictions on use

Recommended use : Nondestructive Testing  
Restrictions on use : Uses other than recommended

---

### SECTION 2. HAZARDS IDENTIFICATION

**GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)**

Aerosols : Category 1  
  
Eye irritation : Category 2A

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Adrox 8901W, Aerosol NA (12x16oz)

Version 3.0      Revision Date: 12/18/2025      SDS Number: 000000000050559109      Date of last issue: 10/28/2025  
Date of first issue: 03/02/2025

---

Carcinogenicity : Category 2

Reproductive toxicity : Category 1B

Specific target organ toxicity - single exposure : Category 3 (Central nervous system)

Specific target organ toxicity - repeated exposure : Category 2 (Central nervous system)

Short-term (acute) aquatic hazard : Category 3

### GHS label elements

Hazard pictograms :



# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Adrox 8901W, Aerosol NA (12x16oz)

Version	Revision Date:	SDS Number:	Date of last issue: 10/28/2025
3.0	12/18/2025	0000000000505 59109	Date of first issue: 03/02/2025

---

Signal Word : Danger

Hazard Statements : H222 Extremely flammable aerosol.  
H229 Pressurised container: May burst if heated.  
H319 Causes serious eye irritation.  
H336 May cause drowsiness or dizziness.  
H351 Suspected of causing cancer.  
H360D May damage the unborn child.  
H373 May cause damage to organs (Central nervous system) through prolonged or repeated exposure.  
H402 Harmful to aquatic life.

Precautionary Statements : **Prevention:**  
P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P211 Do not spray on an open flame or other ignition source.  
P251 Do not pierce or burn, even after use.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Adrox 8901W, Aerosol NA (12x16oz)

Version	Revision Date:	SDS Number:	Date of last issue: 10/28/2025
3.0	12/18/2025	0000000000505 59109	Date of first issue: 03/02/2025

P260 Do not breathe dusts or mists.

P264 Wash skin thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

P280 Wear protective gloves, protective clothing, eye protection and face protection.

### Response:

P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a doctor if you feel unwell.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308 + P313 IF exposed or concerned: Get medical attention.

P337 + P313 If eye irritation persists: Get medical attention.

### Storage:

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

P410 + P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C (122 °F).

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



We create chemistry

**Chemetall**

expect more<sup>+</sup>

## Adrox 8901W, Aerosol NA (12x16oz)

Version 3.0      Revision Date: 12/18/2025      SDS Number: 000000000050559109      Date of last issue: 10/28/2025  
Date of first issue: 03/02/2025

### Disposal:

P501 Dispose of contents and container to an approved waste disposal plant.

### Other hazards

Container is under pressure. Protect from sun and temperatures above 50 °C. Do not open with force or incinerate even after use. Do not spray into flames or onto glowing objects.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature : organic solvent  
fillers  
pigment  
inorganic salts

### Components

Chemical name	CAS-No.	Concentration (% w/w)	Synonyms
acetone	67-64-1	>= 30 - < 60	acetone
propane	74-98-6	>= 10 - < 30	propane
toluene	108-88-3	>= 5 - < 10	toluene
Titanium dioxide	13463-67-7	>= 5 - < 10	titanium dioxide
Methylethylketone	78-93-3	>= 5 - < 10	butanone
isobutane	75-28-5	>= 5 - < 10	isobutane
talc	14807-96-6	>= 1 - < 5	Talc (Mg <sub>3</sub> H <sub>2</sub> (SiO <sub>3</sub> ) <sub>4</sub> )
1-methoxy-2-propylacetate	108-65-6	>= 1 - < 5	2-methoxy-1-methylethyl acetate
Silica gel, precipitated, crystalline free	112926-00-8	>= 1 - < 5	Silica gel, precipitated, crystalline free
2-methoxypropyl acetate	70657-70-4	>= 0.1 - < 1	2-methoxypropyl acetate

Actual concentration or concentration range is withheld as a trade secret

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Adrox 8901W, Aerosol NA (12x16oz)

Version	Revision Date:	SDS Number:	Date of last issue:
3.0	12/18/2025	0000000000505 59109	10/28/2025
			Date of first issue: 03/02/2025

---

### SECTION 4. FIRST AID MEASURES

- General advice : First aid personnel should pay attention to their own safety.  
If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position).  
Immediately remove contaminated clothing.  
In all cases of doubt, or when symptoms persist, seek medical attention.  
Move out of dangerous area.  
Never give anything by mouth to an unconscious person.
- If inhaled : If breathed in, move person into fresh air.  
If breathing is irregular or stopped, administer artificial respiration.  
If symptoms persist, call a physician.
- In case of skin contact : If symptoms persist, call a physician.  
Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.  
Do NOT use solvents or thinners.
- In case of eye contact : Call a physician immediately.  
Immediately wash affected eyes for at least 15 minutes under running water with eyelids held

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Adrox 8901W, Aerosol NA (12x16oz)

Version	Revision Date:	SDS Number:	Date of last issue: 10/28/2025
3.0	12/18/2025	000000000505 59109	Date of first issue: 03/02/2025

---

	open, consult an eye specialist.
	If easy to do, remove contact lens, if worn.
If swallowed	: Never induce vomiting or give anything by mouth if the victim is unconscious or having convulsions.
	Rinse mouth.
	Do NOT induce vomiting.
	If symptoms persist, call a physician.
Most important symptoms and effects, both acute and delayed	: Causes serious eye irritation.
	May cause drowsiness or dizziness.
	Suspected of causing cancer.
	May damage the unborn child.
	May cause damage to organs through prolonged or repeated exposure.
	Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11.
Notes to physician	: Treat symptomatically.
	No known specific antidote.

---

### SECTION 5. FIRE-FIGHTING MEASURES

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Adrox 8901W, Aerosol NA (12x16oz)

Version	Revision Date:	SDS Number:	Date of last issue: 10/28/2025
3.0	12/18/2025	0000000000505 59109	Date of first issue: 03/02/2025

---

Suitable extinguishing media : Dry powder

Carbon dioxide (CO<sub>2</sub>)

Water spray

Foam

Unsuitable extinguishing media : High volume water jet

Specific hazards during fire fighting : Cool containers exposed to fire with water. Decomposition, pressure build-up and bursting of containers may occur.

Hazardous combustion products : Vapors and/or decomposition products are irritant and/or toxic.

Carbon oxides

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Adrox 8901W, Aerosol NA (12x16oz)

Version	Revision Date:	SDS Number:	Date of last issue: 10/28/2025
3.0	12/18/2025	0000000000505 59109	Date of first issue: 03/02/2025

---

Further information : Notify proper authorities.

Remove product from areas of fire, or otherwise cool sealed containers with water in order to avoid pressure build up due to heat.

Vapours are heavier than air and may accumulate in low areas and travel a considerable distance up to the source of ignition.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Cool containers/tanks with water spray.

Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.

---

### SECTION 6. ACCIDENTAL RELEASE MEASURES

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Adrox 8901W, Aerosol NA (12x16oz)

Version	Revision Date:	SDS Number:	Date of last issue: 10/28/2025
3.0	12/18/2025	0000000000505 59109	Date of first issue: 03/02/2025

---

Personal precautions,  
protective equipment and  
emergency procedures

: Avoid breathing vapours.

For non-emergency personnel:

Use personal protective equipment.

Ensure adequate ventilation, especially in confined areas.

Keep away from sources of ignition.

For emergency responders:

Advice on product handling can be found in sections 7 and 8 of this safety data sheet.

Avoid contact with skin and eyes.

Use antistatic tools.

Environmental precautions :

If the product contaminates rivers and lakes or drains inform respective authorities.

Avoid subsoil penetration.

Do not allow uncontrolled discharge of product into the environment.

A spill of or in excess of the reportable quantity requires notification to state, local and national emergency

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Adrox 8901W, Aerosol NA (12x16oz)

Version	Revision Date:	SDS Number:	Date of last issue:
3.0	12/18/2025	0000000000505 59109	10/28/2025
			Date of first issue: 03/02/2025

---

authorities.

Methods and materials for containment and cleaning up : Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13).

Ensure adequate ventilation.

---

### SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion : Risk of explosion if heated under confinement.

Avoid all sources of ignition: heat, sparks, open flame.

Product may charge electrostatically: always use earthing leads when transferring from one container to another and earth containers. It is recommended that operators should wear antistatic clothing and footwear.

Solvent vapors are heavier than air and spread along floors. Vapor forms explosive mixtures with air.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Adrox 8901W, Aerosol NA (12x16oz)

Version	Revision Date:	SDS Number:	Date of last issue: 10/28/2025
3.0	12/18/2025	0000000000505 59109	Date of first issue: 03/02/2025

---

The relevant fire protection measures should be noted.  
Use explosion-proof equipment.

Advice on safe handling : Provide good ventilation of working area (local exhaust ventilation if necessary).

Do not return residues to the storage containers.

Handle with care - avoid bumps, friction and impact.

Smoking, eating and drinking are forbidden in application area. For personal protection see section 8. Comply with the health and safety at work laws.

The workplace should be equipped with an emergency shower and eye-rinsing facility.

Avoid contact with the skin, eyes and clothing.

Handle in accordance with good industrial hygiene and safety practice.

Proper ventilation and respiratory protection is required when sanding, flame cutting, welding or brazing coated surfaces.

WARNING: Empty containers may still contain hazardous residue.

Do not puncture, drop, or slide containers.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Adrox 8901W, Aerosol NA (12x16oz)

Version	Revision Date:	SDS Number:	Date of last issue: 10/28/2025
3.0	12/18/2025	0000000000505 59109	Date of first issue: 03/02/2025

- 
- Further information on storage conditions : Avoid direct sunlight.
- Close containers carefully once opened and store them upright in order to prevent any leakage. No smoking. No admission for unauthorised personnel.
- Always keep in containers of same material as the original one.
- Observe label precautions.
- Keep in a dry, cool and well-ventilated place.
- Materials to avoid : Keep away from oxidizing agents, strongly alkaline and strongly acid materials in order to avoid exothermic reactions.
- Do not expose to temperatures exceeding 50°C/ 122°F.
- Storage period : 60 Months
- Further information on storage stability : Consult local fire marshal for storage requirements.
- Packaging material : Suitable material: Paper/Fibreboard, Aluminum, Carbon steel (Iron), tinned carbon steel (Tinplate)

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Adrox 8901W, Aerosol NA (12x16oz)

Version 3.0      Revision Date: 12/18/2025      SDS Number: 000000000050559109      Date of last issue: 10/28/2025  
Date of first issue: 03/02/2025

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
acetone	67-64-1	TWA	250 ppm	ACGIH
		STEL	500 ppm	ACGIH
		TWA	250 ppm 590 mg/m <sup>3</sup>	NIOSH REL
		TWA	1,000 ppm 2,400 mg/m <sup>3</sup>	OSHA Z-1
		STEL	1,000 ppm 2,400 mg/m <sup>3</sup>	OSHA P0
		TWA	750 ppm 1,800 mg/m <sup>3</sup>	OSHA P0
propane	74-98-6	TWA	1,000 ppm 1,800 mg/m <sup>3</sup>	NIOSH REL
		TWA	1,000 ppm 1,800 mg/m <sup>3</sup>	OSHA Z-1
		TWA	1,000 ppm 1,800 mg/m <sup>3</sup>	OSHA P0

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



We create chemistry

**Chemetall**  
expect more<sup>+</sup>

## Adrox 8901W, Aerosol NA (12x16oz)

Version 3.0      Revision Date: 12/18/2025      SDS Number: 0000000000505  
59109      Date of last issue: 10/28/2025      Date of first issue: 03/02/2025

toluene	108-88-3	TWA	20 ppm	ACGIH
		TWA	100 ppm 375 mg/m3	NIOSH REL
		ST	150 ppm 560 mg/m3	NIOSH REL
		TWA	200 ppm	OSHA Z-2
		CEIL	300 ppm	OSHA Z-2
		Peak	500 ppm (10 minutes)	OSHA Z-2
		STEL	150 ppm 560 mg/m3	OSHA P0
		TWA	100 ppm 375 mg/m3	OSHA P0
Titanium dioxide	13463-67-7	TWA (total dust)	15 mg/m3	OSHA Z-1
		TWA (Total dust)	10 mg/m3	OSHA P0
		TWA (Respirable particulate matter)	2.5 mg/m3 (Titanium dioxide)	ACGIH
Methylethylketone	78-93-3	TWA	200 ppm	ACGIH
		STEL	300 ppm	ACGIH

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



We create chemistry



expect more+

## Adrox 8901W, Aerosol NA (12x16oz)

Version 3.0      Revision Date: 12/18/2025      SDS Number: 000000000050559109      Date of last issue: 10/28/2025  
Date of first issue: 03/02/2025

		TWA	200 ppm 590 mg/m <sup>3</sup>	NIOSH REL
		ST	300 ppm 885 mg/m <sup>3</sup>	NIOSH REL
		TWA	200 ppm 590 mg/m <sup>3</sup>	OSHA Z-1
		TWA	200 ppm 590 mg/m <sup>3</sup>	OSHA P0
		STEL	300 ppm 885 mg/m <sup>3</sup>	OSHA P0
isobutane	75-28-5	TWA	800 ppm 1,900 mg/m <sup>3</sup>	NIOSH REL
		STEL	1,000 ppm	ACGIH
talc	14807-96-6	TWA (Dust)	20 Million particles per cubic foot	OSHA Z-3
		TWA (respirable dust fraction)	2 mg/m <sup>3</sup>	OSHA P0
		TWA (Respirable)	2 mg/m <sup>3</sup>	NIOSH REL
		TWA (Respirable particulate)	2 mg/m <sup>3</sup>	ACGIH

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Adrox 8901W, Aerosol NA (12x16oz)

Version 3.0      Revision Date: 12/18/2025      SDS Number: 000000000050559109      Date of last issue: 10/28/2025  
Date of first issue: 03/02/2025

		matter)		
1-methoxy-2-propylacetate	108-65-6	TWA	50 ppm	US WEEL
Silica gel, precipitated, crystalline free	112926-00-8	TWA	6 mg/m3	OSHA P0
		TWA (Dust)	20 Million particles per cubic foot (Silica)	OSHA Z-3
		TWA (Dust)	80 mg/m3 / %SiO2 (Silica)	OSHA Z-3
		TWA	6 mg/m3 (Silica)	NIOSH REL

**Engineering measures** : Ensure adequate ventilation.

General mechanical ventilation should comply with OSHA 1910.94.

### Personal protective equipment

Respiratory protection : When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

Filter type : Combined particulates, organic gas and low boiling vapor type

Hand protection

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Adrox 8901W,Aerosol NA (12x16oz)

Version	Revision Date:	SDS Number:	Date of last issue: 10/28/2025
3.0	12/18/2025	0000000000505 59109	Date of first issue: 03/02/2025

- 
- |                          |   |
|--------------------------|---|
| Remarks                  | : The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it. nitrile rubber (NBR) - 0.4 mm coating thickness butyl rubber (butyl) - 0.7 mm coating thickness Performance level 6, corresponding to a breakthrough time of >480 min according to EN ISO 374-1 The protection glove should be tested for its specific suitability (e.g. mechanical strength, product compatibility, anti-static properties). Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough. Preventive skin protection |
| Eye protection           | : Tightly fitting safety goggles (splash goggles) (e.g. EN 166)   |
| Skin and body protection | : Chemical resistant protective clothing according to DIN EN 13034 (Type 6)   |
| Protective measures      | : Eye wash fountains and safety showers must be easily accessible.<br><br>Avoid contact with the skin, eyes and clothing.<br><br>Handle in accordance with good industrial hygiene and safety practice.   |
| Hygiene measures         | : Remove contaminated clothing immediately and dispose of safely.<br><br>Wash hands before breaks and at the end of workday.<br><br>Keep away from food, drink and animal feedingstuffs.<br><br>Contact lenses should not be worn.  |

---

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Adrox 8901W, Aerosol NA (12x16oz)

Version	Revision Date:	SDS Number:	Date of last issue:
3.0	12/18/2025	0000000000505 59109	10/28/2025
			Date of first issue: 03/02/2025

---

Physical state	:	aerosol
Color	:	white
Odor	:	No data available
Odor Threshold	:	No data available
pH	:	substance/mixture is a gas
Melting point/freezing point	:	Study technically not feasible.
Boiling point/boiling range	:	Study technically not feasible.
Flash point	:	-0.40 °F / -18 °C  Method: ISO 3679 Flash point is only valid for liquid portion in the aerosol can.
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Extremely flammable aerosol.
Upper explosion limit / Upper flammability limit	:	Upper explosion limit 12.8 %(V)

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Adrox 8901W,Aerosol NA (12x16oz)

Version	Revision Date:	SDS Number:	Date of last issue: 10/28/2025
3.0	12/18/2025	0000000000505 59109	Date of first issue: 03/02/2025

---

Lower explosion limit / Lower flammability limit : 2.6 %(V)

Vapor pressure : not determined (122 °F / 50 °C)  
not determined (68 °F / 20 °C)

Relative vapor density : No data available

Relative density : No data available

Density : 0.996 g/cm<sup>3</sup> (68 °F / 20 °C)

Solubility(ies)  
Water solubility : not determined

Solubility in other solvents : No data available

Partition coefficient: n-octanol/water : not applicable for mixtures

Autoignition temperature : 869 °F / 465 °C

Decomposition temperature : No decomposition if stored and handled as prescribed/indicated.

Viscosity  
Viscosity, dynamic : No data available

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Adrox 8901W, Aerosol NA (12x16oz)

Version	Revision Date:	SDS Number:	Date of last issue: 10/28/2025
3.0	12/18/2025	0000000000505 59109	Date of first issue: 03/02/2025

---

Viscosity, kinematic	:	6 mm <sup>2</sup> /s (73 °F / 23 °C) not determined (104 °F / 40 °C)
Flow time	:	< 30 s (73 °F / 23 °C) Cross section: 3 mm Method: ISO 2431
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Self-heating substances	:	The substance or mixture is not classified as self heating.
Heat of combustion	:	No data available
Metal corrosion rate	:	Not corrosive to metals.
Particle characteristics	:	
Particle size	:	No data available
Particle Size Distribution	:	No data available

---

### SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No dangerous reaction known under conditions of normal use.
Chemical stability	:	No decomposition if stored and applied as directed.
Possibility of hazardous reactions	:	Vapors may form explosive mixture with air. Risk of bursting.
Conditions to avoid	:	Do not expose to temperatures exceeding 50°C/ 122°F.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Adrox 8901W, Aerosol NA (12x16oz)

Version	Revision Date:	SDS Number:	Date of last issue: 10/28/2025
3.0	12/18/2025	0000000000505 59109	Date of first issue: 03/02/2025

Avoid direct sunlight.

Heat, flames and sparks.

Incompatible materials : Keep away from oxidizing agents, strongly alkaline and strongly acid materials in order to avoid exothermic reactions.

Hazardous decomposition products : No decomposition if stored and applied as directed.

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Acute toxicity

Based on available data, the classification criteria are not met.

#### Skin corrosion/irritation

Based on available data, the classification criteria are not met.

#### Components:

##### acetone:

Assessment : Repeated exposure may cause skin dryness or cracking.

##### Methylethylketone:

Assessment : Repeated exposure may cause skin dryness or cracking.

#### Serious eye damage/eye irritation

Causes serious eye irritation.

#### Respiratory or skin sensitization

#### Skin sensitization

Based on available data, the classification criteria are not met.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Adrox 8901W, Aerosol NA (12x16oz)

Version	Revision Date:	SDS Number:	Date of last issue: 10/28/2025
3.0	12/18/2025	0000000000505 59109	Date of first issue: 03/02/2025

### Respiratory sensitization

Based on available data, the classification criteria are not met.

### Germ cell mutagenicity

Based on available data, the classification criteria are not met.

### Carcinogenicity

Suspected of causing cancer.

**IARC** Group 2B: Possibly carcinogenic to humans

Titanium dioxide 13463-67-7

**OSHA** No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

**NTP** No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

### Reproductive toxicity

May damage the unborn child.

### STOT-single exposure

May cause drowsiness or dizziness.

### STOT-repeated exposure

May cause damage to organs (Central nervous system) through prolonged or repeated exposure.

### Aspiration toxicity

Based on available data, the classification criteria are not met.

### Product:

No aspiration toxicity classification

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Adrox 8901W, Aerosol NA (12x16oz)

Version	Revision Date:	SDS Number:	Date of last issue: 10/28/2025
3.0	12/18/2025	0000000000505 59109	Date of first issue: 03/02/2025

---

### SECTION 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

No data available

#### Persistence and degradability

No data available

#### Bioaccumulative potential

No data available

#### Mobility in soil

No data available

---

### SECTION 13. DISPOSAL CONSIDERATIONS

#### Disposal methods

Waste from residues : Do not discharge into drains/surface waters/groundwater.

Observe national and local legal requirements.

Incinerate or dispose of in a RCRA-licensed facility.

It is the waste generator's responsibility to determine if a particular waste is hazardous under RCRA.

Contaminated packaging : WARNING: Empty containers may still contain hazardous residue.

Dispose of in accordance with national, state and local regulations.

Packaging that is not properly emptied must be disposed of as the unused product.

Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, or other sources of ignition. They may explode and cause injury and/or

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Adrox 8901W,Aerosol NA (12x16oz)

Version	Revision Date:	SDS Number:	Date of last issue: 10/28/2025
3.0	12/18/2025	0000000000505 59109	Date of first issue: 03/02/2025

---

death.

---

### SECTION 14. TRANSPORT INFORMATION

#### International Regulations

##### UNRTDG

UN number	:	UN 1950
Proper shipping name	:	AEROSOLS
Class	:	2.1
Packing group	:	Not assigned by regulation
Labels	:	2.1
Environmentally hazardous	:	no

##### IATA-DGR

UN/ID No.	:	UN 1950
Proper shipping name	:	AEROSOLS
Class	:	2.1
Packing group	:	Not assigned by regulation
Labels	:	Flammable Gas
Packing instruction (cargo aircraft)	:	203
Packing instruction (passenger aircraft)	:	203

##### IMDG-Code

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Adrox 8901W, Aerosol NA (12x16oz)

Version	Revision Date:	SDS Number:	Date of last issue:
3.0	12/18/2025	0000000000505 59109	10/28/2025
			Date of first issue: 03/02/2025

---

UN number	:	UN 1950
Proper shipping name	:	AEROSOLS
Class	:	2.1
Packing group	:	Not assigned by regulation
Labels	:	2.1
EmS Code	:	F-D, S-U
Marine pollutant	:	no

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### Domestic regulation

#### 49 CFR

UN/ID/NA number	:	UN 1950
Proper shipping name	:	AEROSOLS
Class	:	2.1
Packing group	:	Not assigned by regulation
Labels	:	FLAMMABLE GAS
ERG Code	:	126
Marine pollutant	:	no

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

---

## SECTION 15. REGULATORY INFORMATION

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



We create chemistry

**Chemetall**  
expect more<sup>+</sup>

## Adrox 8901W, Aerosol NA (12x16oz)

Version 3.0      Revision Date: 12/18/2025      SDS Number: 000000000050559109      Date of last issue: 10/28/2025  
Date of first issue: 03/02/2025

**SARA 311/312 Hazards** : Carcinogenicity  
Specific target organ toxicity (single or repeated exposure)  
Serious eye damage or eye irritation  
Reproductive toxicity

**SARA 313** : The following components are subject to reporting levels established by SARA Title III, Section 313:

toluene                      108-88-3

### US State Regulations

#### Pennsylvania Right To Know

acetone	67-64-1
propane	74-98-6
toluene	108-88-3
Titanium dioxide	13463-67-7
Methylethylketone	78-93-3
isobutane	75-28-5
talc	14807-96-6
Silica gel, precipitated, crystalline free	112926-00-8
Distillates (petroleum), hydrotreated light	64742-47-8
propan-2-ol	67-63-0

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



We create chemistry

**Chemetall**

expect more<sup>+</sup>

## Adrox 8901W, Aerosol NA (12x16oz)

Version 3.0      Revision Date: 12/18/2025      SDS Number: 000000000050559109      Date of last issue: 10/28/2025  
Date of first issue: 03/02/2025

xylene 1330-20-7

ethylbenzene 100-41-4

### New Jersey Right To Know

acetone 67-64-1

propane 74-98-6

toluene 108-88-3

Titanium dioxide 13463-67-7

Methylethylketone 78-93-3

isobutane 75-28-5

talc 14807-96-6

Silica gel, precipitated, crystalline free 112926-00-8

### California Prop. 65

**WARNING:** This product can expose you to chemicals including Titanium dioxide, which is/are known to the State of California to cause cancer, and

toluene, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

### The ingredients of this product are reported in the following inventories:

TSCA : On or in compliance with the active portion of the TSCA inventory

### TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.


**Adrox 8901W,Aerosol NA  
(12x16oz)**

Version 3.0      Revision Date: 12/18/2025      SDS Number: 0000000000505  
59109      Date of last issue: 10/28/2025      Date of first issue: 03/02/2025

**SECTION 16. OTHER INFORMATION**

**Further information**

**NFPA 704:**



**HMIS® IV:**

<b>HEALTH</b>	*	2
<b>FLAMMABILITY</b>		4
<b>PHYSICAL HAZARD</b>		1

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Adrox 8901W, Aerosol NA (12x16oz)

Version	Revision Date:	SDS Number:	Date of last issue: 10/28/2025
3.0	12/18/2025	0000000000505 59109	Date of first issue: 03/02/2025

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardization; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organization for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorization and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Restricted to professional users.

For multi-pack systems observe material safety data sheets of all components.

Revision Date : 12/18/2025

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



We create chemistry

**Chemetall**  
expect more<sup>+</sup>

## Adrox 8901W, Aerosol NA (12x16oz)

Version	Revision Date:	SDS Number:	Date of last issue: 10/28/2025
3.0	12/18/2025	0000000000505 59109	Date of first issue: 03/02/2025

---

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN

