

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Chemetall
expect more⁺

ARDROX 9881 (5 GLA)

Version	Revision Date:	SDS Number:	Date of last issue:
3.0	12/18/2025	000000000050850665	09/03/2025
			Date of first issue: 08/01/2023

SECTION 1. IDENTIFICATION

Product name : ARDROX 9881 (5 GLA)

Product code : 000000000050850665

Manufacturer or supplier's details

Company:

Chemetall U.S., Inc.
675 Central Avenue
New Providence, NJ 07974 – USA
+1 800 526-4473
sds.na-chemetall@basf.com

Emergency telephone : CHEMTREC: 800-424-9300, +1-703-527-3887

Recommended use of the chemical and restrictions on use

Recommended use : Nondestructive Testing

Restrictions on use : Uses other than recommended

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity (Oral) : Category 4

Serious eye damage : Category 1

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Chemetall
expect more⁺

ARDROX 9881 (5 GLA)

Version	Revision Date:	SDS Number:	Date of last issue:
3.0	12/18/2025	000000000050850665	09/03/2025
			Date of first issue: 08/01/2023

Short-term (acute) aquatic hazard : Category 2

GHS label elements

Hazard pictograms :



Signal Word : Danger

Hazard Statements : H302 Harmful if swallowed.
H318 Causes serious eye damage.
H401 Toxic to aquatic life.

Precautionary Statements : **Prevention:**
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P273 Avoid release to the environment.
P280 Wear eye protection and face protection.
Response:
P301 + P312 + P330 IF SWALLOWED: Call a doctor

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



ARDROX 9881 (5 GLA)

Version	Revision Date:	SDS Number:	Date of last issue:
3.0	12/18/2025	0000000000508 50665	09/03/2025 Date of first issue: 08/01/2023

if you feel unwell. Rinse mouth.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER.

Disposal:

P501 Dispose of contents and container to an approved waste disposal plant.

Other hazards

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature : organic compounds
polymers

Components

Chemical name	CAS-No.	Concentration (% w/w)	Synonyms
(POLYMER) Alcohols, C9-11, ethoxylated	68439-46-3	>= 30 - < 60	Alcohols, C9-11, ethoxylated
N-oleoyl-sarcoside	110-25-8	>= 1 - < 5	(Z)-N-methyl-N-(1-oxo-9-octadecenyl)glycine
2-Amino-2-methylpropanol	124-68-5	>= 1 - < 5	2-amino-2-methylpropanol
1-Propanol, 2-methyl-2-(methylamino)-	27646-80-6	>= 0.1 - < 1	1-Propanol, 2-methyl-2-(methylamino)-
3-iodo-2-propynyl butylcarbamate	55406-53-6	>= 0 - < 0.1	3-iodo-2-propynyl butylcarbamate

Actual concentration or concentration range is withheld as a trade secret

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



ARDROX 9881 (5 GLA)

Version	Revision Date:	SDS Number:	Date of last issue:
3.0	12/18/2025	0000000000508 50665	09/03/2025 Date of first issue: 08/01/2023

SECTION 4. FIRST AID MEASURES

- General advice : Never give anything by mouth to an unconscious person.
Move out of dangerous area.
In all cases of doubt, or when symptoms persist, seek medical attention.
Immediately remove contaminated clothing.
If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position).
First aid personnel should pay attention to their own safety.
- If inhaled : If breathed in, move person into fresh air.
If breathing is irregular or stopped, administer artificial respiration.
If symptoms persist, call a physician.
- In case of skin contact : Do NOT use solvents or thinners.
Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.
If symptoms persist, call a physician.
- In case of eye contact : If easy to do, remove contact lens, if worn.
Immediately wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Chemetall
expect more⁺

ARDROX 9881 (5 GLA)

Version	Revision Date:	SDS Number:	Date of last issue:
3.0	12/18/2025	0000000000508 50665	09/03/2025 Date of first issue: 08/01/2023

	Call a physician immediately.
If swallowed	: Never induce vomiting or give anything by mouth if the victim is unconscious or having convulsions. Rinse mouth with water. Do not induce vomiting due to aspiration hazard. Keep at rest. If swallowed, call a poison control center or doctor immediately.
Most important symptoms and effects, both acute and delayed	: Harmful if swallowed. Causes serious eye damage. Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11.
Notes to physician	: Treat symptomatically. No known specific antidote.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Dry powder

Carbon dioxide (CO₂)

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



ARDROX 9881 (5 GLA)

Version	Revision Date:	SDS Number:	Date of last issue:
3.0	12/18/2025	000000000050850665	09/03/2025
			Date of first issue: 08/01/2023

Water spray

Foam

Unsuitable extinguishing : High volume water jet media

Specific hazards during fire fighting : Fire will produce dense black smoke containing hazardous combustion products (see section 10).

Hazardous combustion products : Vapors and/or decomposition products are irritant and/or toxic.

Further information : Notify proper authorities.

Remove product from areas of fire, or otherwise cool sealed containers with water in order to avoid pressure build up due to heat.

Vapours are heavier than air and may accumulate in low areas and travel a considerable distance up to the source of ignition.

Do not flood burning material with water due to

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Chemetall
expect more⁺

ARDROX 9881 (5 GLA)

Version	Revision Date:	SDS Number:	Date of last issue:
3.0	12/18/2025	0000000000508 50665	09/03/2025 Date of first issue: 08/01/2023

potential spreading of fire.

Cool containers/tanks with water spray.

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Avoid breathing vapours.

For non-emergency personnel:

Use personal protective equipment.

Ensure adequate ventilation, especially in confined areas.

Keep away from sources of ignition.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



ARDROX 9881 (5 GLA)

Version	Revision Date:	SDS Number:	Date of last issue: 09/03/2025
3.0	12/18/2025	0000000000508 50665	Date of first issue: 08/01/2023

For emergency responders:

Advice on product handling can be found in sections 7 and 8 of this safety data sheet.

Avoid contact with skin and eyes.

Environmental precautions : Do not allow uncontrolled discharge of product into the environment.

Avoid subsoil penetration.

If the product contaminates rivers and lakes or drains inform respective authorities.

A spill of or in excess of the reportable quantity requires notification to state, local and national emergency authorities.

Methods and materials for : Ensure adequate ventilation.
containment and cleaning
up

Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13).

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



ARDROX 9881 (5 GLA)

Version	Revision Date:	SDS Number:	Date of last issue:
3.0	12/18/2025	000000000050850665	09/03/2025
			Date of first issue: 08/01/2023

SECTION 7. HANDLING AND STORAGE

Advice on protection : Avoid all sources of ignition: heat, sparks, open flame.
against fire and explosion

The relevant fire protection measures should be noted.

Advice on safe handling : Provide good ventilation of working area (local exhaust ventilation if necessary).

Do not return residues to the storage containers.

Smoking, eating and drinking are forbidden in application area. For personal protection see section 8. Comply with the health and safety at work laws.

The workplace should be equipped with an emergency shower and eye-rinsing facility.

Avoid contact with the skin, eyes and clothing.

Handle in accordance with good industrial hygiene and safety practice.

Do not breathe vapors or spray mist.

Proper ventilation and respiratory protection is required when sanding, flame cutting, welding or brazing coated

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



ARDROX 9881 (5 GLA)

Version	Revision Date:	SDS Number:	Date of last issue:
3.0	12/18/2025	0000000000508 50665	09/03/2025
			Date of first issue: 08/01/2023

	surfaces.
	WARNING: Empty containers may still contain hazardous residue.
	Do not puncture, drop, or slide containers.
Further information on storage conditions	: Keep away from heat.
	Avoid direct sunlight.
	Close containers carefully once opened and store them upright in order to prevent any leakage. No smoking. No admission for unauthorised personnel.
	Always keep in containers of same material as the original one.
	Observe label precautions.
	Store protected against freezing.
	Keep in a dry, cool and well-ventilated place.
Materials to avoid	: Keep away from oxidizing agents, strongly alkaline and strongly acid materials in order to avoid exothermic reactions.
Recommended storage temperature	: 41 - 104 °F / 5 - 40 °C

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



ARDROX 9881 (5 GLA)

Version	Revision Date:	SDS Number:	Date of last issue:
3.0	12/18/2025	0000000000508 50665	09/03/2025 Date of first issue: 08/01/2023

Storage period	: 36 Months
Further information on storage stability	: Consult local fire marshal for storage requirements.
Packaging material	: Suitable material: glass, High density polyethylene (HDPE), Low density polyethylene (LDPE), Polyethyleneterephthalate (PET), Polypropylene, Stainless steel 1.4301 (V2), Carbon steel (Iron), tinned carbon steel (Tinplate)

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

Engineering measures : Ensure adequate ventilation.

General mechanical ventilation should comply with OSHA 1910.94.

Personal protective equipment

Respiratory protection : When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

Filter type : Organic vapor Type

Hand protection

Remarks : The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



ARDROX 9881 (5 GLA)

Version	Revision Date:	SDS Number:	Date of last issue:
3.0	12/18/2025	0000000000508 50665	09/03/2025 Date of first issue: 08/01/2023

EN 374 derived from it. nitrile rubber (NBR) - 0.4 mm coating thickness butyl rubber gloves - material thickness: 0.5 mm Performance level 6, corresponding to a breakthrough time of >480 min according to EN ISO 374-1 The protection glove should be tested for its specific suitability (e.g. mechanical strength, product compatibility, anti-static properties). Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough. Preventive skin protection

Eye protection : Tightly fitting safety goggles (splash goggles) (e.g. EN 166)

Skin and body protection : Chemical resistant protective clothing according to DIN EN 13034 (Type 6)

Protective measures : Do not breathe vapour/spray.

Eye wash fountains and safety showers must be easily accessible.

Avoid contact with the skin, eyes and clothing.

Handle in accordance with good industrial hygiene and safety practice.

Hygiene measures : Remove contaminated clothing immediately and dispose of safely.

Wash hands before breaks and at the end of workday.

Keep away from food, drink and animal feedingstuffs.

Contact lenses should not be worn.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state : liquid

Color : pink

SAFETY DATA SHEET

according to the OSHA Hazard Communication
Standard



Chemetall
expect more⁺

ARDROX 9881 (5 GLA)

Version	Revision Date:	SDS Number:	Date of last issue:
3.0	12/18/2025	0000000000508 50665	09/03/2025
			Date of first issue: 08/01/2023

Odor : No data available

Odor Threshold : No data available

pH : 9.0 (68 °F / 20 °C)
Concentration: 100.00000 g/l

Melting point/freezing point : not determined

Boiling point/boiling range : not determined

Flash point : > 201 °F / 94 °C
Method: ISO 3679

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Flammability : Does not sustain combustion.

Upper explosion limit / Upper
flammability limit : No data available

Lower explosion limit / Lower
flammability limit : not determined

SAFETY DATA SHEET

according to the OSHA Hazard Communication
Standard



Chemetall
expect more⁺

ARDROX 9881 (5 GLA)

Version	Revision Date:	SDS Number:	Date of last issue: 09/03/2025
3.0	12/18/2025	0000000000508 50665	Date of first issue: 08/01/2023

Vapor pressure : not determined (68 °F / 20 °C)
not determined (122 °F / 50 °C)

Relative vapor density : Heavier than air.

Relative density : No data available

Density : 1.010 g/cm³ (68 °F / 20 °C)

Solubility(ies)
Water solubility : not determined

Solubility in other solvents : No data available

Partition coefficient: n-
octanol/water : not applicable for mixtures

Autoignition temperature : > 392.00 °F / > 200.00 °C

Decomposition temperature : No decomposition if stored and handled as
prescribed/indicated.

Viscosity
Viscosity, dynamic :
No data available

Viscosity, kinematic : 32.0 mm²/s (104 °F / 40 °C)
6.0 mm²/s (73 °F / 23 °C)
Flow time : < 30 s (73 °F / 23 °C)

SAFETY DATA SHEET

according to the OSHA Hazard Communication
Standard



ARDROX 9881 (5 GLA)

Version	Revision Date:	SDS Number:	Date of last issue:
3.0	12/18/2025	0000000000508 50665	09/03/2025
			Date of first issue: 08/01/2023

Cross section: 3 mm
Method: ISO 2431

Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Self-heating substances	:	The substance or mixture is not classified as self heating.
Heat of combustion	:	No data available
Metal corrosion rate	:	Not corrosive to metals.
Particle characteristics	:	
Particle size	:	The substance / product is marketed or used in a non solid or granular form.
Particle Size Distribution	:	No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No dangerous reaction known under conditions of normal use.
Chemical stability	:	No decomposition if stored and applied as directed.
Possibility of hazardous reactions	:	No hazardous reactions when stored and handled according to instructions.
Conditions to avoid	:	Heat, flames and sparks. Protect from frost. Heat.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



ARDROX 9881 (5 GLA)

Version	Revision Date:	SDS Number:	Date of last issue: 09/03/2025
3.0	12/18/2025	0000000000508 50665	Date of first issue: 08/01/2023

Avoid direct sunlight.

Incompatible materials : Keep away from oxidizing agents, strongly alkaline and strongly acid materials in order to avoid exothermic reactions.

Hazardous decomposition products : No decomposition if stored and applied as directed.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Harmful if swallowed.

Product:

Acute oral toxicity : Acute toxicity estimate: 1,250 mg/kg

Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 20 mg/l
Exposure time: 4 h

Test atmosphere: vapor

Method: Calculation method

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation

Causes serious eye damage.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



ARDROX 9881 (5 GLA)

Version	Revision Date:	SDS Number:	Date of last issue: 09/03/2025
3.0	12/18/2025	0000000000508 50665	Date of first issue: 08/01/2023

Respiratory or skin sensitization

Skin sensitization

Based on available data, the classification criteria are not met.

Respiratory sensitization

Based on available data, the classification criteria are not met.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Carcinogenicity

Based on available data, the classification criteria are not met.

IARC No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration toxicity

Based on available data, the classification criteria are not met.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



ARDROX 9881 (5 GLA)

Version	Revision Date:	SDS Number:	Date of last issue: 09/03/2025
3.0	12/18/2025	0000000000508 50665	Date of first issue: 08/01/2023

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

No data available

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not discharge into drains/surface waters/groundwater.

Observe national and local legal requirements.

Incinerate or dispose of in a RCRA-licensed facility.

It is the waste generator's responsibility to determine if a particular waste is hazardous under RCRA.

Contaminated packaging : WARNING: Empty containers may still contain hazardous residue.

Dispose of in accordance with national, state and local regulations.

Packaging that is not properly emptied must be disposed of as the unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



ARDROX 9881 (5 GLA)

Version	Revision Date:	SDS Number:	Date of last issue: 09/03/2025
3.0	12/18/2025	0000000000508 50665	Date of first issue: 08/01/2023

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR

Not regulated as a dangerous good

Special precautions for user

Not applicable

SECTION 15. REGULATORY INFORMATION

SARA 311/312 Hazards : Acute toxicity (any route of exposure)
Serious eye damage or eye irritation

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

US State Regulations

Pennsylvania Right To Know

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



ARDROX 9881 (5 GLA)

Version	Revision Date:	SDS Number:	Date of last issue: 09/03/2025
3.0	12/18/2025	0000000000508 50665	Date of first issue: 08/01/2023

dipropylene glycol	25265-71-8
--------------------	------------

2-Amino-2-methylpropanol	124-68-5
--------------------------	----------

methanol	67-56-1
----------	---------

New Jersey Right To Know

2-Amino-2-methylpropanol	124-68-5
--------------------------	----------

California Prop. 65

WARNING: This product can expose you to chemicals including formaldehyde, which is/are known to the State of California to cause cancer, and

methanol, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

The ingredients of this product are reported in the following inventories:

TSCA : All substances listed as active on the TSCA inventory

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

SECTION 16. OTHER INFORMATION

Further information

SAFETY DATA SHEET


according to the OSHA Hazard Communication Standard



ARDROX 9881 (5 GLA)

Version 3.0 Revision Date: 12/18/2025 SDS Number: 000000000050850665 Date of last issue: 09/03/2025
Date of first issue: 08/01/2023

NFPA 704:



HMIS® IV:

HEALTH	/	3
FLAMMABILITY		1
PHYSICAL HAZARD		1

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardization; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



ARDROX 9881 (5 GLA)

Version	Revision Date:	SDS Number:	Date of last issue:
3.0	12/18/2025	0000000000508 50665	09/03/2025
			Date of first issue: 08/01/2023

Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organization for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorization and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

For multi-pack systems observe material safety data sheets of all components.
Restricted to professional users.

Revision Date : 12/18/2025

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN

SAFETY DATA SHEET

according to the OSHA Hazard Communication
Standard



Chemetall
expect more ⁺

ARDROX 9881 (5 GLA)

Version	Revision Date:	SDS Number:	Date of last issue:
3.0	12/18/2025	0000000000508 50665	09/03/2025
			Date of first issue: 08/01/2023

