according to the OSHA Hazard Communication Standard



## **ARDROX 9881 (5 GLA)**

Version Revision Date: SDS Number: Date of last issue: 01.08.2023 
1.1 03/02/2025 0000000000508506 Date of first issue: 01.08.2023

65

#### **SECTION 1. IDENTIFICATION**

Product name : ARDROX 9881 (5 GLA)
Product code : 00000000050850665

#### Manufacturer or supplier's details

**Company:** 

Chemetall U.S., Inc. 675 Central Avenue New Providence, NJ 07974 – USA +1 800 526-4473

sds.na-chemetall@basf.com

Emergency telephone : CHEMTREC: 800-424-9300, +1-703-527-3887

Recommended use of the chemical and restrictions on use

Recommended use : Nondestructive Testing

Restrictions on use : Uses other than recommended

### 2. Hazards Identification

# According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

## Classification of the product

Acute Tox. 4 (oral) Acute toxicity

Eye Dam./Irrit. 1 Serious eye damage/eye irritation

Aquatic Acute 2 Hazardous to the aquatic environment - acute

#### Label elements

Pictogram:



Signal Word: Danger

Hazard Statement:

H302 Harmful if swallowed.

H318 Causes serious eye damage.

H401 Toxic to aquatic life.

Precautionary Statements (Prevention):

according to the OSHA Hazard Communication Standard



## **ARDROX 9881 (5 GLA)**

Version Revision Date: SDS Number: Date of last issue: 01.08.2023 1.1 03/02/2025 000000000508506 Date of first issue: 01.08.2023

65

P270 Do not eat, drink or smoke when using this product.

P273 Avoid release to the environment.

P280 Wear protective gloves, protective clothing and eye protection or face

protection.

P264 Wash contaminated body parts thoroughly after handling.

Precautionary Statements (Response):

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P330 Rinse mouth.

P310 Immediately call a POISON CENTER or physician.

Precautionary Statements (Disposal):

P501 Dispose of contents and container to hazardous or special waste collec-

tion point.

#### Hazards not otherwise classified

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

#### 3. Composition / Information on Ingredients

# According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

Alcohols, C10-14, ethoxylated

CAS Number: 66455-15-0 Content (W/W): >= 25.0 - < 50.0% Synonym: No data available.

N-oleoyl-sarcoside

CAS Number: 110-25-8

Content (W/W): >= 3.0 - < 5.0%

Synonym: (Z)-N-Methyl-N-(1-oxo-9-octadecenyl)glycine

2-Amino-2-methylpropanol

CAS Number: 124-68-5 Content (W/W): >= 1.0 - < 3.0% Synonym: No data available.

1,3-bis(hydroxymethyl)-5,5-dimethylimidazolidine-2,4-dione

CAS Number: 6440-58-0 Content (W/W): >= 1.0 - < 3.0% Synonym: No data available.

according to the OSHA Hazard Communication Standard



## **ARDROX 9881 (5 GLA)**

Version Revision Date: SDS Number: Date of last issue: 01.08.2023 1.1 03/02/2025 000000000508506 Date of first issue: 01.08.2023

65

## 4. First-Aid Measures

### **Description of first aid measures**

#### **General advice:**

In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person.

#### If inhaled:

Remove the affected individual into fresh air and keep the person calm. If symptoms persist, seek medical advice. If breathing is irregular or stopped, administer artificial respiration.

#### If on skin:

If symptoms persist, seek medical advice. Remove contaminated clothing. Wash skin with soap and water, rinse abundantly. Do NOT use solvents or thinners.

#### If in eyes:

Remove contact lenses, if present. Immediately wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist. Immediate medical attention required.

### If swallowed:

Summon medical aid without delay. Do not induce vomiting due to aspiration hazard. Rinse mouth immediately with water. Keep at rest.

### Most important symptoms and effects, both acute and delayed

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11.

Information on: N-oleoyl-sarcoside

Symptoms: Overexposure may cause:, corneal injury, skin corrosion, severe pain, coughing, respiratory disorders, dyspnea, nausea, headache, vomiting, dizziness, diarrhea, abdominal cramps

Information on: 2-Amino-2-methylpropanol

Symptoms: Overexposure may cause:, vomiting, dyspnea, bronchospasm, nausea, coughing,

headache

\_\_\_\_\_

#### Indication of any immediate medical attention and special treatment needed

Note to physician

Antidote: No known specific antidote.

Treatment: Symptomatic treatment (decontamination, vital functions).

according to the OSHA Hazard Communication Standard



## **ARDROX 9881 (5 GLA)**

Version Revision Date: SDS Number: Date of last issue: 01.08.2023 1.1 03/02/2025 000000000508506 Date of first issue: 01.08.2023

65

## 5. Fire-Fighting Measures

## **Extinguishing media**

Suitable extinguishing media: carbon dioxide, alcohol-resistant foam, dry powder, water spray

Unsuitable extinguishing media for safety reasons: water jet

### Special hazards arising from the substance or mixture

Hazards during fire-fighting:

Fire will produce dense black smoke. Inhalation of dangerous decomposition products may cause serious damage to health.

### Advice for fire-fighters

Protective equipment for fire-fighting:

Appropriate breathing apparatus may be required.

#### **Further information:**

Cool closed containers in the vicinity of the source of fire. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations. Product itself is non-combustible; fire extinguishing method of surrounding areas must be considered. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems.

## 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

Use personal protective clothing. Advice on product handling can be found in sections 7 and 8 of this safety data sheet.

## **Environmental precautions**

Do not discharge into drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

## Methods and material for containment and cleaning up

Ensure adequate ventilation. Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in a suitable container for disposal according with the waste regulations (see section 13). Clean preferably with a detergent; avoid the use of solvents.

## 7. Handling and Storage

#### Precautions for safe handling

according to the OSHA Hazard Communication Standard



## **ARDROX 9881 (5 GLA)**

Version Revision Date: SDS Number: Date of last issue: 01.08.2023 1.1 03/02/2025 000000000508506 Date of first issue: 01.08.2023

65

Provide good ventilation of working area (local exhaust ventilation if necessary). Do not return residues to the storage containers. Smoking, eating and drinking are forbidden in application area. For personal protection see section 8. Comply with the health and safety at work laws. Avoid inhalation of vapour and spray mist. The workplace should be equipped with an emergency shower and eye-rinsing facility. Avoid contact with the skin, eyes and clothing. Handle in accordance with good industrial hygiene and safety practice.

Protection against fire and explosion:

Avoid all sources of ignition: heat, sparks, open flame. The relevant fire protection measures should be noted.

## Conditions for safe storage, including any incompatibilities

Keep away from oxidising agents, from strongly alkaline and strongly acid materials.

Suitable materials for containers: glass, High density polyethylene (HDPE), Low density polyethylene (LDPE), Polyethylenetherephtalate (PET), Polypropylene (PP), Stainless steel 1.4301 (V2), Carbon steel (Iron), tinned carbon steel (Tinplate)

Further information on storage conditions: Keep container dry. Keep in a cool, well-ventilated place. Avoid direct sunlight. Close containers carefully once opened and store them upright in order to prevent any leakage. No smoking. No admission for unauthorised personnel. Always keep in containers of same material as the original one. Observe label precautions. Store protected against freezing.

Storage stability:

Storage temperature: 5 - 40 °C

### 8. Exposure Controls/Personal Protection

No occupational exposure limits known.

#### Personal protective equipment

#### Respiratory protection:

Respiratory protection required if exposure limit (if available) may be exceeded

#### Hand protection:

Chemical resistant protective gloves (EN ISO 374-1), nitrile rubber (NBR) - 0.4 mm coating thickness, butyl rubber gloves - material thickness: 0.5 mm, Performance level 6, corresponding to a breakthrough time of >480 min according to EN ISO 374-1, The protection glove should be tested for its specific suitability (e.g. mechanical strength, product compatibility, anti-static properties)., The gloves should be replaced immediately in case of damage or signs of wear. It is recommended to use preventative skin protection (skin cream).

#### Eye protection:

Tightly fitting safety goggles (splash goggles) (e.g. EN 166)

according to the OSHA Hazard Communication Standard



## **ARDROX 9881 (5 GLA)**

Version Revision Date: SDS Number: Date of last issue: 01.08.2023 1.1 03/02/2025 000000000508506 Date of first issue: 01.08.2023

65

## **Body protection:**

Chemical resistant protective clothing according to DIN EN 13034 (Type 6)

### General safety and hygiene measures:

Do not breathe vapour/spray. Eye wash fountains and safety showers must be easily accessible. Avoid contact with the skin, eyes and clothing. Handle in accordance with good industrial hygiene and safety practice. Ensure adequate ventilation. This can be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations at the workplace below the occupational exposure limits, appropriate certified respirators must be worn. Remove contaminated clothing immediately and dispose of safely. Hands and/or face should be washed before breaks and at the end of the shift. Keep separated from food stuffs and feed stocks.

## 9. Physical and Chemical Properties

Form: liquid

Odour: No data available.

Odour threshold: No applicable information available.

Colour: pink pH value: 9.0

(100.00000 g/l, 20 °C)

Melting point: not determined Freezing point: not determined onset of boiling: not determined Boiling range: not determined

Sublimation point: No applicable information available.

Flash point: > 93 °C (ISO 3679)

Flammability: hardly combustible Lower explosion limit: not determined

Upper explosion limit: No applicable information available. Autoignition: No applicable information available.

Vapour pressure: (20 °C)

not determined

Density: 1.010 g/cm3

(20 °C)

Relative density: No applicable information available.

Vapour density: Heavier than air.

Partitioning coefficient n- not applicable for mixtures

octanol/water (log Pow):

Thermal decomposition: No decomposition if stored and handled as pre-

scribed/indicated.

Viscosity, dynamic: No applicable information available.

Viscosity, kinematic: 6.0 mm2/s

(20°C)

Solubility in water: soluble Miscibility with water: miscible

Solubility (quantitative):
Solubility (qualitative):
Molar mass:
Evaporation rate:

No applicable information available.
No applicable information available.
No applicable information available.

according to the OSHA Hazard Communication Standard



## **ARDROX 9881 (5 GLA)**

Version Revision Date: SDS Number: Date of last issue: 01.08.2023 1.1 03/02/2025 000000000508506 Date of first issue: 01.08.2023

65

## 10. Stability and Reactivity

### Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Oxidizing properties: not fire-propagating

### **Chemical stability**

The product is stable if stored and handled as prescribed/indicated.

## Possibility of hazardous reactions

No hazardous reactions when stored and handled according to instructions.

#### Conditions to avoid

Avoid all sources of ignition: heat, sparks, open flame. Avoid direct sunlight. Avoid freezing.

#### Incompatible materials

Keep away from highly acidic or alkaline substances as well as oxidants in order to prevent exothermal reactions.

## **Hazardous decomposition products**

Decomposition products:

When exposed to high temperatures hazardous decomposition products such as carbon monoxide, carbon dioxide, smoke, oxides of nitrogen may be produced., No hazardous decomposition products if stored and handled as prescribed/indicated.

Thermal decomposition:

No decomposition if stored and handled as prescribed/indicated.

## 11. Toxicological information

#### Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

## **Acute Toxicity/Effects**

Acute toxicity

Assessment of acute toxicity: Of moderate toxicity after single ingestion.

Oral

Type of value: ATE Value: 1,250 mg/kg

according to the OSHA Hazard Communication Standard



## **ARDROX 9881 (5 GLA)**

Version Revision Date: SDS Number: Date of last issue: 01.08.2023 1.1 03/02/2025 000000000508506 Date of first issue: 01.08.2023

65

The product has not been tested. The statement has been derived from the properties of the individual components.

#### **Inhalation**

Type of value: ATE Value: 275 mg/l

The product has not been tested. The statement has been derived from the properties of the individual components.

### **Dermal**

Type of value: ATE Value: > 2,000 mg/kg

The product has not been tested. The statement has been derived from the properties of the individual components.

#### Assessment other acute effects

Assessment of STOT single:

Based on available data, the classification criteria are not met.

#### Irritation / corrosion

Assessment of irritating effects: May cause severe damage to the eyes.

Information on: N-oleoyl-sarcoside

Assessment of irritating effects: May cause severe damage to the eyes. Skin contact causes irritation.

Information on: 2-Amino-2-methylpropanol

Assessment of irritating effects: Skin contact causes irritation. May cause severe damage to the

eves.

-----

#### Sensitization

Assessment of sensitization: Based on available data, the classification criteria are not met.

### **Aspiration Hazard**

No aspiration hazard expected.

#### **Chronic Toxicity/Effects**

#### Repeated dose toxicity

Assessment of repeated dose toxicity: Based on available data, the classification criteria are not met.

#### Genetic toxicity

Assessment of mutagenicity: Based on available data, the classification criteria are not met.

#### Carcinogenicity

Assessment of carcinogenicity: Based on available data, the classification criteria are not met.

#### Reproductive toxicity

according to the OSHA Hazard Communication Standard



## **ARDROX 9881 (5 GLA)**

Version Revision Date: SDS Number: Date of last issue: 01.08.2023 1.1 03/02/2025 000000000508506 Date of first issue: 01.08.2023

65

Assessment of reproduction toxicity: Based on available data, the classification criteria are not met.

#### **Teratogenicity**

Assessment of teratogenicity: Based on available data, the classification criteria are not met.

Information on: 2-Amino-2-methylpropanol

Assessment of teratogenicity: The substance did not cause malformations in animal studies; however, toxicity to development was observed at high doses that were toxic to the parental animals. Based on available data, the classification criteria are not met. After the uptake of small doses toxicity to development will not be expected in humans.

-----

## 12. Ecological Information

## **Toxicity**

Aquatic toxicity

Assessment of aquatic toxicity:

Toxic to aquatic life. There are no test results available for this product. Do not allow to enter drains or waterways.

### Persistence and degradability

Assessment biodegradation and elimination (H2O)

No data available concerning biodegradation and elimination.

#### Bioaccumulative potential

Bioaccumulation potential

No data available.

#### Mobility in soil

Assessment transport between environmental compartments

No data available.

## 13. Disposal considerations

#### Waste disposal of substance:

Do not discharge into drains/surface waters/groundwater. Observe national and local legal requirements.

#### Container disposal:

Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

according to the OSHA Hazard Communication Standard



## **ARDROX 9881 (5 GLA)**

Version Revision Date: SDS Number: Date of last issue: 01.08.2023 1.1 03/02/2025 000000000508506 Date of first issue: 01.08.2023

65

## 14. Transport Information

Land transport

**USDOT** 

Not classified as a dangerous good under transport regulations

Sea transport

**IMDG** 

Not classified as a dangerous good under transport regulations

Air transport

IATA/ICAO

Not classified as a dangerous good under transport regulations

## 15. Regulatory Information

## **Federal Regulations**

Registration status:

Chemical TSCA, US released / listed

**EPCRA 311/312 (Hazard categories):** Refer to SDS section 2 for GHS hazard classes applicable for this product.

State regulations

State RTK CAS Number Chemical name

NJ 124-68-5 2-Amino-2-methylpropanol

PA 25265-71-8 dipropylene glycol

124-68-5 2-Amino-2-methylpropanol

#### Safe Drinking Water & Toxic Enforcement Act, CA Prop. 65:

**WARNING:** This product can expose you to chemicals including FORMALDEHYDE (GAS), which is known to the State of California to cause cancer, and METHANOL, which is known to the State of California to cause birth defects or other reproductive harm. For more information, go to www.P65Warnings.ca.gov.

**NFPA Hazard codes:** 

Health: 3 Fire: 1 Reactivity: 1 Special:

**HMIS III rating** 

Health: 3 Flammability: 1 Physical hazard: 1

according to the OSHA Hazard Communication Standard



## **ARDROX 9881 (5 GLA)**

Version Revision Date: SDS Number: Date of last issue: 01.08.2023 
1.1 03/02/2025 0000000000508506 Date of first issue: 01.08.2023

65

## 16. Other Information

### SDS Prepared by:

Chemetall (now part of BASF Group) NA Product Regulations

SDS Prepared on: 03/02/2025

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.