

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Gardoclean T 360 (5 GLA)

Version 3.0 Revision Date: 12/17/2025 SDS Number: 000000000050742377 Date of last issue: 05/07/2025
Date of first issue: 03/02/2025

SECTION 1. IDENTIFICATION

Product name : Gardoclean T 360 (5 GLA)

Product code : 000000000050742377

Manufacturer or supplier's details

Company:

Chemetall U.S., Inc.
675 Central Avenue
New Providence, NJ 07974 – USA
+1 800 526-4473
sds.na-chemetall@basf.com

Emergency telephone : CHEMTREC: 800-424-9300, +1-703-527-3887

Recommended use of the chemical and restrictions on use

Recommended use : Pickling agent for metal surfaces

Restrictions on use : Uses other than recommended

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Corrosive to Metals : Category 1

Skin corrosion : Category 1

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Chemetall
expect more⁺

Gardoclean T 360 (5 GLA)

Version 3.0 Revision Date: 12/17/2025 SDS Number: 000000000050742377 Date of last issue: 05/07/2025
Date of first issue: 03/02/2025

Serious eye damage : Category 1

GHS label elements

Hazard pictograms :



Signal Word : Danger

Hazard Statements : H290 May be corrosive to metals.
H314 Causes severe skin burns and eye damage.

Precautionary Statements : **Prevention:**
P234 Keep only in original packaging.
P264 Wash skin thoroughly after handling.
P280 Wear protective gloves, protective clothing, eye protection and face protection.
Response:
P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Gardoclean T 360 (5 GLA)

Version 3.0 Revision Date: 12/17/2025 SDS Number: 000000000050742377 Date of last issue: 05/07/2025
Date of first issue: 03/02/2025

with water.

P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER.

P363 Wash contaminated clothing before reuse.

P390 Absorb spillage to prevent material damage.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents and container to an approved waste disposal plant.

Other hazards

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature : inorganic base
Water
organic acids

Components

Chemical name	CAS-No.	Concentration (% w/w)	Synonyms
sodium hydroxide	1310-73-2	>= 30 - < 60	sodium hydroxide

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Gardoclean T 360 (5 GLA)

Version 3.0 Revision Date: 12/17/2025 SDS Number: 000000000050742377 Date of last issue: 05/07/2025
Date of first issue: 03/02/2025

Actual concentration or concentration range is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

- General advice** : Never give anything by mouth to an unconscious person.
Move out of dangerous area.
In case of intoxication, call a poison control center or physician for treatment advice, taking the packaging or the label of the product.
Immediately remove contaminated clothing.
Symptoms of poisoning may occur even after several hours, continue medical observation for at least 48 hours after the accident.
Keep patient warm and at rest.
First aid personnel should pay attention to their own safety.
- If inhaled** : If breathed in, move person into fresh air.
If breathing is irregular or stopped, administer artificial respiration.
Call a physician or poison control center immediately.
- In case of skin contact** : Call a physician immediately.
In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Gardoclean T 360 (5 GLA)

Version	Revision Date:	SDS Number:	Date of last issue: 05/07/2025
3.0	12/17/2025	0000000000507 42377	Date of first issue: 03/02/2025

-
- In case of eye contact : Immediately wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.
- Call a physician immediately.
- If easy to do, remove contact lens, if worn.
- If swallowed : Never induce vomiting or give anything by mouth if the victim is unconscious or having convulsions.
- Rinse mouth with water.
- Do not induce vomiting due to aspiration hazard.
- Keep at rest.
- If swallowed, call a poison control center or doctor immediately.
- Most important symptoms and effects, both acute and delayed : Causes serious eye damage.
- Causes severe burns.
- Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11.
- May cause severe burns of the mouth and throat if orally ingested, as well as a danger of perforation of the oesophagus and the stomach.
- Notes to physician : Treat symptomatically.
- No known specific antidote.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



We create chemistry

Chemetall
expect more⁺

Gardoclean T 360 (5 GLA)

Version	Revision Date:	SDS Number:	Date of last issue: 05/07/2025
3.0	12/17/2025	0000000000507 42377	Date of first issue: 03/02/2025

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Dry powder

Carbon dioxide (CO₂)

Water spray

Foam

Unsuitable extinguishing media : High volume water jet

Specific hazards during fire fighting : Fire will produce dense black smoke containing hazardous combustion products (see section 10).

Hazardous combustion products : Vapors and/or decomposition products are irritant and/or toxic.

Further information : Notify proper authorities.

Vapours are heavier than air and may accumulate in low areas and travel a considerable distance up

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Gardoclean T 360 (5 GLA)

Version	Revision Date:	SDS Number:	Date of last issue:
3.0	12/17/2025	0000000000507 42377	05/07/2025
			Date of first issue: 03/02/2025

to the source of ignition.

Do not flood burning material with water due to potential spreading of fire.

Remove product from areas of fire, or otherwise cool sealed containers with water in order to avoid pressure build up due to heat.

Cool containers/tanks with water spray.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Avoid breathing vapours.
For non-emergency personnel:

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Gardoclean T 360 (5 GLA)

Version	Revision Date:	SDS Number:	Date of last issue:
3.0	12/17/2025	0000000000507 42377	05/07/2025
			Date of first issue: 03/02/2025

Use personal protective equipment.

Ensure adequate ventilation, especially in confined areas.

Keep away from sources of ignition.

For emergency responders:

Advice on product handling can be found in sections 7 and 8 of this safety data sheet.

Avoid contact with skin and eyes.

Use antistatic tools.

Environmental precautions : Do not allow uncontrolled discharge of product into the environment.

If the product contaminates rivers and lakes or drains inform respective authorities.

Avoid subsoil penetration.

A spill of or in excess of the reportable quantity requires notification to state, local and national emergency authorities.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Gardoclean T 360 (5 GLA)

Version	Revision Date:	SDS Number:	Date of last issue: 05/07/2025
3.0	12/17/2025	0000000000507 42377	Date of first issue: 03/02/2025

Methods and materials for containment and cleaning up : Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13).

Ensure adequate ventilation.

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion : Avoid all sources of ignition: heat, sparks, open flame.
The relevant fire protection measures should be noted.

Advice on safe handling : Provide good ventilation of working area (local exhaust ventilation if necessary).

Do not return residues to the storage containers.

Smoking, eating and drinking are forbidden in application area. For personal protection see section 8. Comply with the health and safety at work laws.

The workplace should be equipped with an emergency shower and eye-rinsing facility.

Avoid contact with the skin, eyes and clothing.

Handle in accordance with good industrial hygiene and safety practice.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Gardoclean T 360 (5 GLA)

Version	Revision Date:	SDS Number:	Date of last issue:
3.0	12/17/2025	0000000000507 42377	05/07/2025
			Date of first issue: 03/02/2025

Do not breathe vapors or spray mist.

Do not puncture, drop, or slide containers.

WARNING: Empty containers may still contain hazardous residue.

Proper ventilation and respiratory protection is required when sanding, flame cutting, welding or brazing coated surfaces.

Further information on storage conditions

: Keep away from heat.

Avoid direct sunlight.

Store only in corrosion proof containers.

Close containers carefully once opened and store them upright in order to prevent any leakage. No smoking. No admission for unauthorised personnel.

Always keep in containers of same material as the original one.

Observe label precautions.

avoid contact with metals

Store protected against freezing.

Keep in a dry, cool and well-ventilated place.

Materials to avoid : Acids

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Gardoclean T 360 (5 GLA)

Version 3.0 Revision Date: 12/17/2025 SDS Number: 000000000050742377 Date of last issue: 05/07/2025
Date of first issue: 03/02/2025

Segregate from acids and acid forming substances.

Keep away from oxidizing agents, strongly alkaline and strongly acid materials in order to avoid exothermic reactions.

Metals

Recommended storage temperature : 32 - 104 °F / 0 - 40 °C

Further information on storage stability : Consult local fire marshal for storage requirements.

Packaging material : Suitable material: High density polyethylene (HDPE), Low density polyethylene (LDPE), Polyethylenetherephtalate (PET), Polypropylene

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
sodium hydroxide	1310-73-2	C	2 mg/m ³	ACGIH
		C	2 mg/m ³	NIOSH REL
		TWA	2 mg/m ³	OSHA Z-1

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



We create chemistry

Chemetall
expect more⁺

Gardoclean T 360 (5 GLA)

Version 3.0 Revision Date: 12/17/2025 SDS Number: 000000000050742377 Date of last issue: 05/07/2025
Date of first issue: 03/02/2025

		C	2 mg/m3	OSHA P0
--	--	---	---------	---------

Engineering measures : Ensure adequate ventilation.

General mechanical ventilation should comply with OSHA 1910.94.

Personal protective equipment

Respiratory protection : When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

Filter type : Inorganic gas/vapor type

Hand protection

Remarks : The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it. butyl rubber gloves - material thickness: 0.5 mm nitrile rubber (NBR) - 0.4 mm coating thickness Performance level 6, corresponding to a breakthrough time of >480 min according to EN ISO 374-1 The protection glove should be tested for its specific suitability (e.g. mechanical strength, product compatibility, anti-static properties). Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough. Preventive skin protection

Eye protection : Tightly fitting safety goggles (splash goggles) (e.g. EN 166)

Skin and body protection : Chemical resistant protective clothing according to DIN EN 13034 (Type 6)

Protective measures : Do not breathe vapour/spray.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Gardoclean T 360 (5 GLA)

Version	Revision Date:	SDS Number:	Date of last issue: 05/07/2025
3.0	12/17/2025	0000000000507 42377	Date of first issue: 03/02/2025

	Eye wash fountains and safety showers must be easily accessible.
	Avoid contact with the skin, eyes and clothing.
	Handle in accordance with good industrial hygiene and safety practice.
Hygiene measures	: Remove contaminated clothing immediately and dispose of safely.
	Wash hands before breaks and at the end of workday.
	Keep away from food, drink and animal feedingstuffs.
	Contact lenses should not be worn.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	: liquid
Color	: amber
Odor	: odorless
Odor Threshold	: No data available
pH	: 12.5 - 13.5 (68 °F / 20 °C)
Melting point/freezing point	: not determined
Boiling point/boiling range	: not determined

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Gardoclean T 360 (5 GLA)

Version 3.0 Revision Date: 12/17/2025 SDS Number: 000000000050742377 Date of last issue: 05/07/2025
Date of first issue: 03/02/2025

Flash point : Not applicable The product has not been tested. The statement has been derived from the properties of the individual components.

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Flammability : Does not sustain combustion.

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : not determined

Vapor pressure : not determined (68 °F / 20 °C)
not determined (122 °F / 50 °C)

Relative vapor density : Lighter than air.

Relative density : 1.498

Density : 1.498 g/cm³ (68 °F / 20 °C)

Solubility(ies)

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



We create chemistry

Chemetall
expect more⁺

Gardoclean T 360 (5 GLA)

Version 3.0 Revision Date: 12/17/2025 SDS Number: 000000000050742377 Date of last issue: 05/07/2025
Date of first issue: 03/02/2025

Water solubility	:	not determined
Solubility in other solvents	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Autoignition temperature	:	not determined
Decomposition temperature	:	No decomposition if stored and handled as prescribed/indicated.
Viscosity		
Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	6 mm ² /s (73 °F / 23 °C) not determined (104 °F / 40 °C)
Flow time	:	< 30 s (73 °F / 23 °C) Cross section: 3 mm Method: ISO 2431
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Self-heating substances	:	The substance or mixture is not classified as self heating.
Heat of combustion	:	No data available
Metal corrosion rate	:	Corrosive to metals
Particle characteristics		
Particle size	:	The substance / product is marketed or used in a non solid or granular form.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Gardoclean T 360 (5 GLA)

Version 3.0 Revision Date: 12/17/2025 SDS Number: 000000000050742377 Date of last issue: 05/07/2025
Date of first issue: 03/02/2025

Particle Size Distribution : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No dangerous reaction known under conditions of normal use.

Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous reactions : Exothermic reaction with strong acids.
Gives off hydrogen by reaction with metals.

Conditions to avoid : Protect from frost.
Avoid direct sunlight.
avoid contact with metals
Heat.

Incompatible materials : Metals
Acids

Hazardous decomposition products : No decomposition if stored and applied as directed.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Based on available data, the classification criteria are not met.

Skin corrosion/irritation

Causes severe burns.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Gardoclean T 360 (5 GLA)

Version	Revision Date:	SDS Number:	Date of last issue: 05/07/2025
3.0	12/17/2025	0000000000507 42377	Date of first issue: 03/02/2025

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitization

Skin sensitization

Based on available data, the classification criteria are not met.

Respiratory sensitization

Based on available data, the classification criteria are not met.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Carcinogenicity

Based on available data, the classification criteria are not met.

IARC No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



We create chemistry

Chemetall
expect more⁺

Gardoclean T 360 (5 GLA)

Version 3.0 Revision Date: 12/17/2025 SDS Number: 000000000050742377 Date of last issue: 05/07/2025
Date of first issue: 03/02/2025

Aspiration toxicity

Based on available data, the classification criteria are not met.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

No data available

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not discharge into drains/surface waters/groundwater.
Observe national and local legal requirements.
It is the waste generator's responsibility to determine if a particular waste is hazardous under RCRA.
Incinerate or dispose of in a RCRA-licensed facility.

Contaminated packaging : WARNING: Empty containers may still contain hazardous residue.

Dispose of in accordance with national, state and local regulations.

Packaging that is not properly emptied must be disposed of as the unused product.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Gardoclean T 360 (5 GLA)

Version 3.0 Revision Date: 12/17/2025 SDS Number: 000000000050742377 Date of last issue: 05/07/2025
Date of first issue: 03/02/2025

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 1824
Proper shipping name : SODIUM HYDROXIDE SOLUTION
Class : 8
Packing group : II
Labels : 8
Environmentally hazardous : no

IATA-DGR

UN/ID No. : UN 1824
Proper shipping name : SODIUM HYDROXIDE SOLUTION
Class : 8
Packing group : II
Labels : Corrosive
Packing instruction (cargo aircraft) : 855
Packing instruction (passenger aircraft) : 851

IMDG-Code

UN number : UN 1824
Proper shipping name : SODIUM HYDROXIDE SOLUTION

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Gardoclean T 360 (5 GLA)

Version 3.0 Revision Date: 12/17/2025 SDS Number: 000000000050742377 Date of last issue: 05/07/2025
Date of first issue: 03/02/2025

Class : 8
Packing group : II
Labels : 8
EmS Code : F-A, S-B
Marine pollutant : no

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR

UN/ID/NA number : UN 1824
Proper shipping name : SODIUM HYDROXIDE SOLUTION
Class : 8
Packing group : II
Labels : CORROSIVE
ERG Code : 154
Marine pollutant : no

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

SARA 311/312 Hazards : Corrosive to Metals
Skin corrosion or irritation

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



We create chemistry

Chemetall
expect more⁺

Gardoclean T 360 (5 GLA)

Version 3.0 Revision Date: 12/17/2025 SDS Number: 00000000050742377 Date of last issue: 05/07/2025
Date of first issue: 03/02/2025

Serious eye damage or eye irritation

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

US State Regulations

Pennsylvania Right To Know

sodium hydroxide 1310-73-2

New Jersey Right To Know

sodium hydroxide 1310-73-2

The ingredients of this product are reported in the following inventories:

TSCA : All substances listed as active on the TSCA inventory

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

SECTION 16. OTHER INFORMATION

Further information

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard




We create chemistry

Chemetall
expect more⁺

Gardoclean T 360 (5 GLA)

Version 3.0 Revision Date: 12/17/2025 SDS Number: 000000000050742377 Date of last issue: 05/07/2025
Date of first issue: 03/02/2025

NFPA 704:



HMIS® IV:

HEALTH	/	3
FLAMMABILITY		1
PHYSICAL HAZARD		1

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "/" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardization; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Gardoclean T 360 (5 GLA)

Version	Revision Date:	SDS Number:	Date of last issue: 05/07/2025
3.0	12/17/2025	0000000000507 42377	Date of first issue: 03/02/2025

Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organization for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorization and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Restricted to professional users.

For multi-pack systems observe material safety data sheets of all components.

Revision Date : 12/17/2025

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Gardoclean T 360 (5 GLA)

Version	Revision Date:	SDS Number:	Date of last issue:
3.0	12/17/2025	0000000000507 42377	05/07/2025
			Date of first issue: 03/02/2025

