



INSTRUCTIONS FOR SAFE USE

TOUGHPIX II TRIDENT EDITION EXPLOSION PROOF DIGITAL CAMERA



RUGGED AUTHORITY

www.cord-ex.com

CONTENTS

Read This First	3
Liability	3
Trademark Information	3
Product Information	3
Instructions for Safe Use	4
Labelling	5
Operational Cautions	6
Certification	7
EC Declaration of Conformity	8
ATEX / IECEx Certificate	9

READ THIS FIRST

The ToughPIX II 2410 range of flame-proof digital cameras are suitable for use in hazardous areas (Ex zones: potentially explosive environments).

Read and understand all Warnings and Cautions before using this product.

Liability

The technical specification of the camera complies with relevant European Ex standards (EN 60079-0 and EN60079-1).

The user is solely responsible for ensuring the equipment is suitable for the intended purpose and environments.

CorDEX Instruments will not be liable for any injury or damage resulting from unauthorized adjustments to, or dismantling of, the camera or for use with inappropriate applications or environments.

Trademark Information

Microsoft® and Windows® are U.S. registered trademarks of Microsoft Corporation. Pentium® is a registered trademark of Intel Corporation.

Macintosh is a trademark of Apple Computer, Inc. SD™ is a trademark.

Other names and products may be trademarks or registered trademarks of their respective owners.

Product Information

Product design and specifications are subject to change without notice. This includes primary specifications, software, software drivers, and user's manual. The User Manual is a general reference guide for the product.

The manufacturer assumes no liability for any errors or discrepancies in the user manual.

INSTRUCTIONS FOR SAFE USE

As defined by clause 29.2(i) of EN60079-0

The conditions referenced in this section relate specifically to hazardous area applications and must be followed.

In accordance with clause 5.1 of EN 60079-1, the critical dimensions of the flamepaths are:

Flamepath	Maximum Gap (mm)	Minimum L (mm)
Rear carriage/front carriage	0.04	6.5
Flash Window/front carriage	0.1	13.8
LCD Window/ front carriage	0.1	13.8
Lens window/ front carriage	0.1	13.8
Operating rod/rear and	0.1	10.5

- Contact the manufacturer for information on the dimensions of the flameproof joints.
- The apparatus must only be used in areas where there is low risk of impact.
- Do not charge battery pack in the hazardous area.
- The battery must be removed from the camera and charged in the CorDEX Instruments ToughPIX II charging bay. Using a different charging device can cause damage and void certification.

- The ToughPIX II 2410 Series digital camera incorporates a protected battery system with a non-replaceable fuse. This fuse is only to be replaced by CorDEX Instruments or a CorDEX Instruments Approved Repair Facility. Failure to do so will void the certification.
- Ensure that the ToughPIX II 2410 Series digital camera battery pack is secured using the plug provided. If the plug is lost, only replace with a plug of the correct size and type. If in doubt, contact your nearest CorDEX Instruments representative.
- The ToughPIX II 2410 Series digital camera is manufactured from aluminium alloy; and must contain less than 7% magnesium by weight and incorporates toughened glass windows. This should be taken into account when considering the end use application.
- The ToughPIX II 2410 Series digital camera cannot be maintained in the field and must be returned to the manufacturer should repair or maintenance be required.
- USB communications with the ToughPIX II 2410 Series digital camera must only occur within the non-hazardous area.
- When replacing the battery pack, the screw must be re-tightened to a torque of 1.5-4Nm and the cover cap replaced.
- Only CorDEX battery pack CDX2400-011 shall be used.
- Do not enable wifi in the hazardous area.

LABELLING



OPERATIONAL CAUTIONS

The cautions contained in this section do not relate specifically to safe use in hazardous area applications but should be followed to help prevent damage to the device or personnel.

- Keep out of reach of children
- The TP2410 is a precision instrument. Do not drop it, strike it or use excessive force when handling

Maintenance

For safety critical maintenance, please refer to EN60079-17

CERTIFICATION



	Ex.		Certific: onformit	
	RNATIONAL E Certification S for rules and deta	LECTROTE		IMISSION ospheres
Certificate No.:	IECEx TRC 13.001	5X	issue No.:0	Certificate history.
Status:	Current			
Date of Issue:	2013-11-28	9	Page 1 of 3	
Applicant:	CorDEX Instrume Unit 1 Owens Road, Skippers Lane Indus Middlesbrough. Cleveland, TS6 6HE United Kingdom			
Electrical Apparatus: Optional accessory:	CorDEX Ex d Came	era, ToughPIX II TP:	2410	-
Type of Protection:	Flameproof			
Marking:	Ex d IIB+H ₂ T6 Gb -	20°C ≤ Tamb ≤ 50°C	:	
Approved for issue or Certification Body:	n behalf of the IECEx	Stephen Wins	or	
Position:		Certification O	ficer	
Signature: (for printed version)		S.P. Willow		
Date:		2013-11-28		
2. This certificate is n	I schedule may only be re ot transferable and remai thenticity of this certificate	ns the property of th	e issuing body. visiting the Official IECEx	Website.
ertificate issued by:				
	TRaC Global Ltd. Unit 1 Pendle Place Skelmersdale West Lancashire WN8 9PN United Kingdom			

EC DECLARATION OF CONFORMITY

CorDEX

CorDEX Instruments Ltd Unit 1, Owens Road Skippers Lane Industrial Estate, MIDDLESBROUGH, TS6 6HE

Declaration No. SO/11 Rev 3

EC Declaration of Conformity in accordance with EEC ATEX Directive 94/9/EC

We,

CorDEX Instruments Ltd.

Hereby declare that the products described below

Product: Explosion-proof digital camera Model: TP2410XP

are in conformity with the essential health and safety requirements of Council Directive 94/9/EC relating to equipment intended for use in potentially explosive atmospheres (ATEX Directive) Ex II 2 G, Ex d IIB+H2 T6 Gb(Tamb -20°C to +50°C) equipment, by the application of the following Standards:-

BS EN 60079-0:2012 Explosive atmospheres - Equipment. General requirements

BS EN 60079-1:2007 Explosive atmospheres. Equipment protection by flameproof enclosures "d"

as certified by Notified Body Number 0891 TRaC Global Ltd, UK by EC-Type Examination Certificate: TRAC13ATEX0046X and IECEx Certificate: IECEX TRC 13.0016X and are subject to the procedure set out in Annex VII of Directive 94/9/EC and these procedures are in conformity with the requirements of EN 80079-34 under the supervision of Notified Body Number 0518, SIRA Certification Service, Rake Lane, Eccleston, Chester, CH4 9JN, England.

It is ensured through internal measures that the products conform at all times to the requirements of the current EEC Directives and relevant standards.

auce Signature: Authorised Person

Position: Director on behalf of CorDEX Instruments Ltd

Date: 07/10/2014

Product Serial number

Better:Better_Work:CorDEX:03_CorDEX_Products:CorDEX_Products_ToughPIXII:CorDEX_Products_ToughPIXII_ECDeclaration:EC Declaration of Conformity (TP2410XP)Rev A.docx

Copyright © 2014, CorDEX Instruments Limited.