

Wilson[®] Instruments RB2000 Rockwell[®] Hardness Tester Regular, Superficial, and Twin Scale Testing

The Wilson Instruments Rockwell 2000 Series Hardness Testers provide an industry-leading Gauge Repeatability and Reproducibility (GR&R) with accurate and repeatable test results using an electronic force monitoring apparatus and a precision depth measurement system. Featuring a durable frame, intuitive user panel, and a simple one-button operation, the Rockwell 2000 exceeds a wide variety of testing requirements. The Rockwell 2000 is available in Regular, Superficial, and Twin Scale models, as well as in three different sizes to suit numerous applications.



Wilson® Instruments RB2000 Rockwell® Hardness Tester Regular, Superficial, and Twin Scale Testing

Model Number	2000R	20005	2000T
Preliminary Load Kg (N)	10 (98.07)	3 (29.42)	3, 10 (29.42, 98.07)
Total Test Force Kg (N)	60, 100, 150 (588.4, 980.7, 1471)	15, 30, 45 (147.1, 294.2, 441.3)	15, 30, 45, 60, 100, 150 (147.1, 294.2, 441.3, 588.4, 980.7, 1471)
Test Scales	A, B, C, D, E, F, G, H, K, L, M, P, R, S,V	15N, 30N, 45N, 15T, 30T, 45T, 15W, 30W, 45W, 15X, 30X, 45X, 15Y, 30Y, 45Y	A, B, C, D, E, F, G, H, K, L, M, P, R, S, V 15N, 30N, 45N, 15T, 30T, 45T, 15W, 30W, 45W, 15X, 30X, 45X, 15Y, 30Y, 45Y
Test Load Control	Closed-Loop Electronic Load Cell		
Specimen Illumination	12V 30W Halogen		
Data Output	RS-232		
Data Memory	999 tests per hardness scale		
Standards Compliant	ASTM E18, ASTM B254, ISO 6508, JIS Z2245		
Conversions	ASTM E140 or DIN-50150		
Statistics	Minimum, Maximum, Standard Deviation, Range, Mean, Number of Tests, Number of Good/Low/High Tests		
Resolution	.1 or .01 HR (adjustable)		
Power Supply	100, 120, 220 or 240 VAC +/-10%, 47 to 63 Hz single phase		
Test Cycle Type	Motorized (Auto load, test, and return)		
Languages	English and German		

Technical Specifications




Wilson Instruments offers NVLAP 17025 accredited Rockwell test blocks, diamond indenters, and ball penetrators



Accessories

- · Vari Rest specimen support
- · Clamping nosepiece for part pre-clamp
- · Anvils for internal and external ring/tube testing
- · T-Slot table for clamping large test specimens
- · Audible Alarm for part acceptance/rejection
- · Data collection software for exporting to Microsoft® Excel



We are Local to You

System Model Sizes Α В С D Е Weight mm in mm in mm in mm in mm in kg lb 152 (6.0) 2001 1130 (44.5) 343 (13.5) 100 (220) 590 (23.2) 787 (31.0) 2002 1232 (48.5) 254 (10.0) 343 (13.5) 590 (23.2) 787 (31.0) 107 (236) 2003 1334 (52.2) 356 (14.0) 343 (13.5) 590 (23.2) 990 (39.0) 113 (250)



Wilson Instruments 825 University Avenue, Norwood, MA 02062 Tel: +1 800-695-4273 www.wilsoninstruments.com

INSTRON // Wilson Instruments is an Instron® ITW Company

Wilson Instruments is a registered trademark of Illinois Tool Works Inc. (ITW) Other names, logos, icons and marks identifying Instron products and services referenced herein are trademarks of ITW and may not be used without the prior written permission of ITW. Other product and company names listed are trademarks or trade names of their respective companies. Copyright © 2009 Illinois Tool Works Inc. All rights reserved. All of the specifications shown in this document are subject to change without notice.

Dimensions