

MATERIAL SAFETY DATA SHEET

Daraclean 283

1. IDENTIFICATION

Company: MAGNAFLUX
Address: 3624 West Lake Avenue, Glenview, Illinois 60026
Telephone No.: (847) 657-5300 (Off-Hour Emergency Number - CHEMTREC - 1-800-424-9300).
Product Use: Aqueous alkaline cleaner
Packages: 5 gallon pail, 55 gallon drum
NFPA Rating: Health 2, Flammability 0, Reactivity 0
PIN: None
Revision Date: September 5, 2007

2. INGREDIENTS

	<u>CAS Number</u>	<u>% by Weight</u>	<u>OSHA PEL</u>	<u>ACGIH TLV</u>
Hazardous Ingredients				
Sodium Hydroxide	1310-73-2	1 – 5	2 mg/m ³	Not available

3. HAZARDS IDENTIFICATION

Signs & Symptoms of Acute Exposure
Inhalation: Irritation may occur if material becomes airborne.
Eyes: Irritation upon direct contact.
Skin: Irritation upon direct contact.
Ingestion: None known.

EMERGENCY OVERVIEW

Bland, nonflammable, thin liquid which may irritate the skin and eyes.

4. FIRST AID

Skin Contact: Wash off with soap and water. Use soothing lotion.
Eyes: Rinse carefully under upper and lower eyelids using plenty of water.
Inhalation: Remove to fresh air.
Ingestion: If conscious, dilute by giving 2 glasses of water. Call physician or local poison control center immediately.
NOTE: In all severe cases, contact physician immediately. Local telephone operators can furnish number of regional poison control center.

5. FIRE HAZARD

Conditions of flammability: None
Flash point: None to boiling
Flammable limits in air: None
Extinguishing media: Carbon Dioxide, dry chemical, foam. Avoid water if possible. *Special fire fighting procedures:* None
Hazardous combustion products: Combustion will result in the release of the usual decomposition products including oxides of carbon and nitrogen.
Unusual fire hazards: None

6. ACCIDENTAL RELEASE MEASURES

For Small Spills: Wipe up, or absorb with sand or other absorbent material. Collect waste in sealed containers.
For Large Spills: Dike area to prevent spreading. Shovel or pump to drum or salvage tank. Absorb residual material with sand, or other absorbent material. Wash area with soapy water and rinse. Area will be slippery until cleaned.

Dispose of all product wastes and water rinses in accordance with current local, state, and Federal regulations.

MAGNAFLUX

A Division of Illinois Tool Works Inc.
3624 WEST LAKE AVENUE ■ GLENVIEW, ILLINOIS 60026
TEL 847.657.5300 ■ FAX 847.657.5388
www.magnaflux.com

7. HANDLING AND STORAGE

- Does not normally become airborne; in operations where it does, if general ventilation or local exhaust is inadequate, persons exposed to mists should wear approved breathing devices.
- Wear neoprene gloves if direct contact likely; wear eye protection.
- Store product at 40-100°F in a well-ventilated area.
- Do not mix with nitrites or nitrite containing compounds (49 FR 24658, 6/14/84).

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

<i>Respiratory protection:</i>	None
<i>Ventilation:</i>	Mechanical (general) sufficient
<i>Protective gloves:</i>	Recommended (rubber)
<i>Eye protection:</i>	Recommended
<i>Work/Hygienic practices:</i>	Avoid breathing spray mist

9. PHYSICAL PROPERTIES

<i>Initial boiling point (bulk):</i>	212°F approx	<i>Vapor pressure:</i>	23 mmHg @ 20°C
<i>Percent volatile:</i>	Not Established	<i>Vapor density:</i>	None established
<i>Density/sp. gravity:</i>	1.0 approx.	<i>Evaporation rate:</i>	1.0 (water = 1.0)
<i>Water solubility:</i>	100%	<i>Appearance:</i>	Clear/slightly hazy yellow liquid
<i>pH of concentrate:</i>	13.0		

10. STABILITY AND REACTIVITY

<i>Stability:</i>	Stable
<i>Incompatibility:</i>	None
<i>Hazardous decomposition products:</i>	None
<i>Reactivity:</i>	None

11. TOXICOLOGICAL INFORMATION

<i>Carcinogenicity:</i>	Contains no known or suspected carcinogens listed with OSHA, IARC, NTP, or ACGIH.
<i>Threshold limit value:</i>	Not established.
<i>WHMIS information (Canada):</i>	According to available information, the ingredients have not been found to show reproductive toxicity, teratogenicity, mutagenicity, skin sensitization, or synergistic toxic effects with other materials.

12. ECOLOGICAL INFORMATION

No data is available. It dissolves into water and is biodegradable. Its low vapor pressure may exempt it from VOC restrictions.

13. DISPOSAL

Dispose according to Federal, State and Local laws and 40 CFR.

RCRA: This product, if deemed unusable and classified as "waste" is a RCRA hazardous waste carrying waste code D002 (Corrosive).

Note: Chemical additions to, processing of, or otherwise altering this material may make this waste management information inaccurate, incomplete, or otherwise inappropriate. Furthermore, state and local waste disposal requirements may be more restrictive than federal laws and regulations.

14. TRANSPORTATION

U.S. DOT: 49 CFR 172.101 Hazardous Materials Table

<i>Proper shipping name:</i>	Not regulated
<i>Hazard class or division:</i>	None
<i>Identification No.:</i>	None
<i>Packing Group:</i>	None

15. **REGULATORY INFORMATION**

TSCA: All ingredients are listed in TSCA inventory.

CERCLA: Not reportable.

SARA TITLE III, Section 313: Contains no toxic chemicals above 1%, or any carcinogenic chemicals above 0.1%.

California Proposition 65: Warning: This material may contain trace amounts of chemicals known to the state of California to cause cancer and/or birth defects and/or reproductive harm.

WHMIS Class (Canada): Not a controlled product.

Note: This MSDS has been prepared to meet WHMIS (Canada) requirements with the exception of using 16 headings.

16. **OTHER INFORMATION**

Revision Statement: Section 13

Supersedes: October 26, 2004

Prepared by: Tamie Simmons, Research Manager